



TABLE OF CONTENTS

Elevations

Single Units	2
Picture Units	8
Twin Units	14
2 High Units.....	16
2 Wide 2 High Units.....	18

Note:

Elevations shown DO NOT have exterior trim.

Subtract 1/2"(12.7) from M.O.(Masonry Opening) for Unit Sizes.

Masonry openings above include Sill Nose, see Trim Optionspage for Sill Nose specifications.

For other Trim Options refer to the Unit Sizing, Rough Opening & Masonry Openings page.



SINGLE UNITS

	21 1/4"(540)	23 1/4"(591)	27 1/4"(692)	31 1/4"(794)	33 1/4"(845)	35 1/4"(895)	39 1/4"(997)	
MO BRICKMOLD	24 5/16"(618)	26 5/16"(668)	30 5/16"(770)	34 5/16"(872)	36 5/16"(922)	38 5/16"(973)	42 5/16"(1075)	
MO FLAT CASING	18 3/4"(476)	20 3/4"(527)	24 3/4"(629)	28 3/4"(730)	30 3/4"(781)	32 3/4"(832)	36 3/4"(933)	
ROUGH OPENING	18"(457)	20"(508)	24"(610)	28"(711)	30"(762)	32"(813)	36"(914)	
FRAME SIZE	11 13/16"(302)	13 13/16"(351)	17 13/16"(452)	21 13/16"(554)	23 13/16"(605)	25 13/16"(656)	29 13/16"(757)	
DAYLIGHT OPENING	16 1/2"(419) 18"(457) 14 3/4"(375)	18 1/2"(469) 20"(508) 14 3/4"(375)	22 1/2"(572) 24"(610) 18 3/4"(476)	26 1/2"(674) 28"(711) 24 3/4"(629)	30 1/2"(776) 32"(813) 28 3/4"(730)	32 1/2"(827) 34"(864) 30 3/4"(781)	36 1/2"(929) 38"(966) 34 3/4"(885)	40 1/2"(1031) 42"(1068) 38 3/4"(987)
	CCEA1814	CCEA2014	CCEA2414	CCEA2814	CCEA3014	CCEA3214	CCEA3614	
	CCEA1818	CCEA2018	CCEA2418	CCEA2818	CCEA3018	CCEA3218	CCEA3618	
	CCEA1820	CCEA2020	CCEA2420	CCEA2820	CCEA3020	CCEA3220	CCEA3620	
	CCEA1824	CCEA2024	CCEA2424	CCEA2824	CCEA3024	CCEA3224	CCEA3624	
	CCEA1828	CCEA2028	CCEA2428	CCEA2828	CCEA3028	CCEA3228	CCEA3628	
	CCEA1830	CCEA2030	CCEA2430	CCEA2830	CCEA3030	CCEA3230	CCEA3630	
	CCEA1832	CCEA2032	CCEA2432	CCEA2832	CCEA3032	CCEA3232	CCEA3632	
	CCEA1836	CCEA2036	CCEA2436	CCEA2836	CCEA3036	CCEA3236	CCEA3636	
	CCEA1840	CCEA2040	CCEA2440	CCEA2840	CCEA3040	CCEA3240	CCEA3640	


ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS
NUMBER INDICATES PREFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING



SINGLE UNITS


MO BRICKMOLD	21 1/4"(540)	23 1/4"(591)	27 1/4"(692)	31 1/4"(794)	33 1/4"(845)	35 1/4"(895)	39 1/4"(997)
MO FLAT CASING	24 5/16"(618)	26 5/16"(668)	30 5/16"(770)	34 5/16"(872)	36 5/16"(922)	38 5/16"(973)	42 5/16"(1075)
ROUGH OPENING	18 3/4"(476)	20 3/4"(527)	24 3/4"(629)	28 3/4"(730)	30 3/4"(781)	32 3/4"(832)	36 3/4"(933)
FRAME SIZE	18"(457)	20"(508)	24"(610)	28"(711)	30"(762)	32"(813)	36"(914)
DAYLIGHT OPENING	11 13/16"(302)	13 13/16"(351)	17 13/16"(452)	21 13/16"(554)	23 13/16"(605)	25 13/16"(656)	29 13/16"(757)

44 1/2"(1130)
46"(1168)
42 3/4"(1086)
42"(1067)
35 13/16"(910)



CCEA1842 CCEA2042 CCEA2442 CCEA2842 CCEA3042 CCEA3242 CCEA3642

50 1/2"(1283)
52"(1321)
48 3/4"(1238)
48"(1219)
41 13/16"(1062)



CCEA1848 CCEA2048 CCEA2448 CCEA2848 CCEA3048 CCEA3248 CCEA3648

ELEVATION SYMBOL LEGEND:

M.O. = MASORNY OPENING

VALUES IN () ARE IN MILLIMETER CONVERSIONS

NUMBER INDICATES PREFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING



SINGLE UNITS

	43 1/4"(1099)	45 1/4"(1149)	51 1/4"(1302)	57 1/4"(1454)	59 1/4"(1505)
MO BRICKMOLD	46 5/16"(1176)	48 5/16"(1227)	54 5/16"(1380)	60 5/16"(1532)	62 5/16"(1583)
MO FLAT CASING	40 3/4"(1035)	42 3/4"(1086)	48 3/4"(1238)	54 3/4"(1391)	56 3/4"(1441)
ROUGH OPENING	40"(1016)	42"(1067)	48"(1219)	54"(1372)	56"(1422)
FRAME SIZE	33 13/16"(859)	35 13/16"(910)	41 13/16"(1062)	47 13/16"(1214)	49 13/16"(1265)
DAYLIGHT OPENING					
16 1/2"(419)					
18"(457)	CCEA4014	CCEA4214	CCEA4814	CCEA5414	CCEA5614
18 3/4"(476)					
20 1/2"(521)	CCEA4018	CCEA4218	CCEA4818	CCEA5418	CCEA5618
22"(559)					
22 1/2"(572)	CCEA4020	CCEA4220	CCEA4820	CCEA5420	CCEA5620
24"(610)					
20 3/4"(527)	CCEA4024	CCEA4224	CCEA4824	CCEA5424	CCEA5624
24 3/4"(629)					
26 1/2"(671)	CCEA4028	CCEA4228	CCEA4828	CCEA5428	CCEA5628
28"(711)					
28 3/4"(730)	CCEA4030	CCEA4230	CCEA4830	CCEA5430	CCEA5630
30 1/2"(775)					
32"(813)	CCEA4032	CCEA4232	CCEA4832	CCEA5432	CCEA5632
32 3/4"(781)					
30 3/4"(781)	CCEA4036	CCEA4236	CCEA4836	CCEA5436	CCEA5636
30 7/8"(762)					
23 13/16"(605)	CCEA4040	CCEA4240	CCEA4840	CCEA5440	CCEA5640
34 1/2"(876)					
36"(914)	CCEA4014	CCEA4214	CCEA4814	CCEA5414	CCEA5614
32 3/4"(832)					
32"(813)	CCEA4018	CCEA4218	CCEA4818	CCEA5418	CCEA5618
25 13/16"(656)					
34 1/2"(876)	CCEA4020	CCEA4220	CCEA4820	CCEA5420	CCEA5620
36 3/4"(933)					
36"(914)	CCEA4024	CCEA4224	CCEA4824	CCEA5424	CCEA5624
29 13/16"(757)					
38 1/2"(978)	CCEA4028	CCEA4228	CCEA4828	CCEA5428	CCEA5628
40"(1016)					
40 3/4"(1035)	CCEA4030	CCEA4230	CCEA4830	CCEA5430	CCEA5630
40 1/2"(1016)					
33 13/16"(859)	CCEA4032	CCEA4232	CCEA4832	CCEA5432	CCEA5632

ELEVATION SYMBOL LEGEND:

M.O. = MASORNY OPENING

VALUES IN () ARE IN MILLIMETER CONVERSIONS


NUMBER INDICATES PREFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING




SINGLE UNITS

MO BRICKMOLD	43 1/4"(1099)	45 1/4"(1149)	51 1/4"(1302)	57 1/4"(1454)	59 1/4"(1505)
MO FLAT CASING	46 5/16"(1176)	48 5/16"(1227)	54 5/16"(1380)	60 5/16"(1532)	62 5/16"(1583)
ROUGH OPENING	40 3/4"(1035)	42 3/4"(1086)	48 3/4"(1238)	54 3/4"(1391)	56 3/4"(1441)
FRAME SIZE	40"(1016)	42"(1067)	48"(1219)	54"(1372)	56"(1422)
DAYLIGHT OPENING	33 13/16"(859)	35 13/16"(910)	41 13/16"(1062)	47 13/16"(1214)	49 13/16"(1265)


44 1/2"(1130)
46"(1168)
42 3/4"(1086)
42"(1067)
35 13/16"(910)




CCEA4042




CCEA4242



CCEA4842




CCEA5442




CCEA5642


50 1/2"(1283)
52"(1321)
48 3/4"(1238)
48"(1219)
41 13/16"(1062)




CCEA4048




CCEA4248



CCEA4848



CCEA5448



CCEA5648

ELEVATION SYMBOL LEGEND:

M.O. = MASORNY OPENING

VALUES IN () ARE IN MILLIMETER CONVERSIONS

NUMBER INDICATES PREFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING



SINGLE UNITS


MO BRICKMOLD
MO FLAT CASING
ROUGH OPENING
FRAME SIZE
DAYLIGHT OPENING

63 1/4"(1607)
66 5/16"(1684)
60 3/4"(1543)
60"(1524)
53 13/16"(1367)


69 1/4"(1759)
72 5/16"(1837)
66 3/4"(1695)
66"(1676)
59 13/16"(1519)

75 1/4"(1911)
78 5/16"(1989)
72 3/4"(1848)
72"(1829)
65 13/16"(1672)


16 1/2"(419)
18"(457)
14 3/4"(375)
14"(356)
7 13/16"(198)



CCEA6014



CCEA6614



CCEA7214

20 1/2"(521)
22"(559)
18 3/4"(476)
18"(457)
11 13/16"(300)



CCEA6018



CCEA6618



CCEA7218

22 1/2"(572)
24"(610)
20 3/4"(527)
20"(508)
13 13/16"(351)



CCEA6020



CCEA6620



CCEA7220

26 1/2"(671)
28"(711)
24 3/4"(629)
24"(610)
17 13/16"(452)



CCEA6024




CCEA6624




CCEA7224


30 1/2"(775)
32"(813)
28 3/4"(730)
28"(711)
21 13/16"(554)



CCEA6028



CCEA6628



CCEA72128

32 1/2"(826)
34"(864)
30 3/4"(781)
30"(762)
23 13/16"(605)



CCEA6030



CCEA6630



CCEA7230

34 1/2"(876)
36"(914)
32 3/4"(832)
32"(813)
25 13/16"(656)



CCEA6032



CCEA6632



CCEA7232

38 1/2"(978)
40"(1016)
36 3/4"(933)
36"(914)
29 13/16"(757)



CCEA6036



CCEA6636



CCEA7236

42 1/2"(1080)
44"(1118)
40 3/4"(1035)
40"(1016)
33 13/16"(859)



CCEA6040



CCEA6640



CCEA7240

ELEVATION SYMBOL LEGEND:

M.O. = MASORNY OPENING

VALUES IN () ARE IN MILLIMETER CONVERSIONS

NUMBER INDICATES PERFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING



SINGLE UNITS

MO BRICKMOLD
MO FLAT CASING
ROUGH OPENING
FRAME SIZE
DAYLIGHT OPENING

63 1/4"(1607)
66 5/16"(1684)
60 3/4"(1543)
60"(1524)
53 13/16"(1367)

69 1/4"(1759)
72 5/16"(1837)
66 3/4"(1695)
66"(1676)
59 13/16"(1519)

75 1/4"(1911)
78 5/16"(1989)
72 3/4"(1848)
72"(1829)
65 13/16"(1672)

44 1/2"(1130)
46"(1168)
42 3/4"(1086)
42"(1067)
35 13/16"(910)



CCEA6042




CCEA6642




CCEA7242


50 1/2"(1283)
52"(1321)
48 3/4"(1238)
48"(1219)
41 13/16"(1062)



CCEA6048



CCEA6648



CCEA7248

ELEVATION SYMBOL LEGEND:

M.O. = MASORNY OPENING

VALUES IN () ARE IN MILLIMETER CONVERSIONS

NUMBER INDICATES PREFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING



PICTURE UNITS

MO BRICKMOLD	21 1/4"(540)	23 1/4"(591)	27 1/4"(692)	31 1/4"(794)	33 1/4"(845)	35 1/4"(895)	39 1/4"(997)
MO FLAT CASING	24 5/16"(618)	26 5/16"(668)	30 5/16"(770)	34 5/16"(872)	36 5/16"(922)	38 5/16"(973)	42 5/16"(1075)
ROUGH OPENING	18 3/4"(476)	20 3/4"(527)	24 3/4"(629)	28 3/4"(730)	30 3/4"(781)	32 3/4"(832)	36 3/4"(933)
FRAME SIZE	18"(457)	20"(508)	24"(610)	28"(711)	30"(762)	32"(813)	36"(914)
DAYLIGHT OPENING	11 13/16"(302)	13 13/16"(351)	17 13/16"(452)	21 13/16"(554)	23 13/16"(605)	25 13/16"(656)	29 13/16"(757)
16 1/2"(419) 18"(457) 14 3/4"(375) 14"(356)							
20 1/2"(521) 22"(559) 18 3/4"(476) 18"(457)							
22 1/2"(572) 24"(610) 20 3/4"(527) 20"(508)							
26 1/2"(671) 28"(711) 24 3/4"(629) 24"(610)							
30 1/2"(775) 32"(813) 28 3/4"(730) 28"(711)							
32 1/2"(826) 34"(864) 30 3/4"(781) 30"(762)							
34 1/2"(876) 36"(914) 32 3/4"(832) 32"(813)							
38 1/2"(978) 40"(1016) 36 3/4"(933) 36"(914)							
42 1/2"(1080) 44"(1118) 40 3/4"(1035) 40"(1016)							

ELEVATION SYMBOL LEGEND:

M.O. = MASORNY OPENING


VALUES IN () ARE IN MILLIMETER CONVERSIONS

NUMBER INDICATES PREFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING



PICTURE UNITS

MO BRICKMOLD	21 1/4"(540)	23 1/4"(591)	27 1/4"(692)	31 1/4"(794)	33 1/4"(845)	35 1/4"(895)	39 1/4"(997)
MO FLAT CASING	24 5/16"(618)	26 5/16"(668)	30 5/16"(770)	34 5/16"(872)	36 5/16"(922)	38 5/16"(973)	42 5/16"(1075)
ROUGH OPENING	18 3/4"(476)	20 3/4"(527)	24 3/4"(629)	28 3/4"(730)	30 3/4"(781)	32 3/4"(832)	36 3/4"(933)
FRAME SIZE	18"(457)	20"(508)	24"(610)	28"(711)	30"(762)	32"(813)	36"(914)
DAYLIGHT OPENING	11 13/16"(302)	13 13/16"(351)	17 13/16"(452)	21 13/16"(554)	23 13/16"(605)	25 13/16"(656)	29 13/16"(757)



ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS
NUMBER INDICATES PREFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING



PICTURE UNITS

	43 1/4"(1099)	45 1/4"(1149)	51 1/4"(1302)	57 1/4"(1454)	59 1/4"(1505)
MO BRICKMOLD	46 5/16"(1176)	48 5/16"(1227)	54 5/16"(1380)	60 5/16"(1532)	62 5/16"(1583)
MO FLAT CASING	40 3/4"(1035)	42 3/4"(1086)	48 3/4"(1238)	54 3/4"(1391)	56 3/4"(1441)
ROUGH OPENING	40"(1016)	42"(1067)	48"(1219)	54"(1372)	56"(1422)
FRAME SIZE	33 13/16"(859)	35 13/16"(910)	41 13/16"(1062)	47 13/16"(1214)	49 13/16"(1265)
DAYLIGHT OPENING					
16 1/2"(419) 18"(457) 18 3/4"(476) 14 3/4"(375) 14 3/4"(375) 14 3/4"(375) 14 3/4"(375)					
20 1/2"(521) 22"(559) 18 3/4"(476) 18 3/4"(476) 18 3/4"(476) 18 3/4"(476) 11 13/16"(300)					
22 1/2"(572) 24"(610) 20 3/4"(527) 20 3/4"(527) 20 3/4"(527) 13 13/16"(351)					
26 1/2"(671) 28"(711) 24 3/4"(629) 24 3/4"(629) 24 3/4"(629) 17 13/16"(452)					
30 1/2"(775) 32"(813) 28 3/4"(730) 28 3/4"(730) 28 3/4"(730) 21 13/16"(554)					
32 1/2"(826) 34"(864) 30 3/4"(781) 30 3/4"(781) 30 3/4"(781) 23 13/16"(605)					
34 1/2"(876) 36"(914) 32 3/4"(832) 32 3/4"(832) 32 3/4"(832) 25 13/16"(656)					
38 1/2"(978) 40"(1016) 36 3/4"(933) 36 3/4"(933) 36 3/4"(933) 29 13/16"(757)					
42 1/2"(1080) 44"(1118) 40 3/4"(1035) 40 3/4"(1035) 40 3/4"(1035) 33 13/16"(859)					

ELEVATION SYMBOL LEGEND:

M.O. = MASORNY OPENING

VALUES IN () ARE IN MILLIMETER CONVERSIONS


NUMBER INDICATES PREFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING




PICTURE UNITS

MO BRICKMOLD	43 1/4"(1099)	45 1/4"(1149)	51 1/4"(1302)	57 1/4"(1454)	59 1/4"(1505)
MO FLAT CASING	46 5/16"(1176)	48 5/16"(1227)	54 5/16"(1380)	60 5/16"(1532)	62 5/16"(1583)
ROUGH OPENING	40 3/4"(1035)	42 3/4"(1086)	48 3/4"(1238)	54 3/4"(1391)	56 3/4"(1441)
FRAME SIZE	40"(1016)	42"(1067)	48"(1219)	54"(1372)	56"(1422)
DAYLIGHT OPENING	33 13/16"(859)	35 13/16"(910)	41 13/16"(1062)	47 13/16"(1214)	49 13/16"(1265)


44 1/2"(1130)
46"(1168)
42 3/4"(1086)
42"(1067)
35 13/16"(910)



CCEA4042



CCEA4242



CCEA4842




CCEA5442




CCEA5642


50 1/2"(1283)
52"(1321)
48 3/4"(1238)
48"(1219)
41 13/16"(1062)




CCEA4048




CCEA4248



CCEA4848



CCEA5448



CCEA5648

ELEVATION SYMBOL LEGEND:

M.O. = MASORNY OPENING

VALUES IN () ARE IN MILLIMETER CONVERSIONS

NUMBER INDICATES PREFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING



PICTURE UNITS


MO BRICKMOLD
MO FLAT CASING
ROUGH OPENING
FRAME SIZE
DAYLIGHT OPENING

63 1/4"(1607)
66 5/16"(1684)
60 3/4"(1543)
60"(1524)
53 13/16"(1367)


69 1/4"(1759)
72 5/16"(1837)
66 3/4"(1695)
66"(1676)
59 13/16"(1519)

75 1/4"(1911)
78 5/16"(1989)
72 3/4"(1848)
72"(1829)
65 13/16"(1672)


16 1/2"(419)
18"(457)
18 3/4"(375)
14 3/4"(366)
14"(356)
7 13/16"(198)



CCEA6014




CCEA6614




CCEA7214


20 1/2"(521)
22"(559)
18 3/4"(476)
18 3/4"(457)
18"(457)
11 13/16"(300)



CCEA6018




CCEA6618




CCEA7218


22 1/2"(572)
24"(610)
20 3/4"(527)
20"(508)
13 13/16"(351)



CCEA6020




CCEA6620




CCEA7220


26 1/2"(671)
28"(711)
24 3/4"(628)
24"(610)
17 13/16"(452)



CCEA6024




CCEA6624




CCEA7224


30 1/2"(775)
32"(813)
28 3/4"(730)
28"(711)
21 13/16"(554)



CCEA6028



CCEA6628



CCEA7228

32 1/2"(826)
34"(864)
30 3/4"(761)
30"(762)
23 13/16"(605)



CCEA6030



CCEA6630



CCEA7230

34 1/2"(876)
36"(914)
32 3/4"(832)
32"(813)
25 13/16"(656)



CCEA6032




CCEA6632




CCEA7232


38 1/2"(978)
40"(1016)
36 3/4"(933)
36"(914)
29 13/16"(757)



CCEA6036




CCEA6636




CCEA7236


42 1/2"(1080)
44"(1118)
40 3/4"(1035)
40"(1016)
33 13/16"(859)



CCEA6040



CCEA6640



CCEA7240

ELEVATION SYMBOL LEGEND:

M.O. = MASORNY OPENING

VALUES IN () ARE IN MILLIMETER CONVERSIONS


NUMBER INDICATES PREFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING




PICTURE UNITS

MO BRICKMOLD	63 1/4"(1607)	69 1/4"(1759)	75 1/4"(1911)
MO FLAT CASING	66 5/16"(1684)	72 5/16"(1837)	78 5/16"(1989)
ROUGH OPENING	60 3/4"(1543)	66 3/4"(1695)	72 3/4"(1848)
FRAME SIZE	60"(1524)	66"(1676)	72"(1829)
DAYLIGHT OPENING	53 13/16"(1367)	59 13/16"(1519)	65 13/16"(1672)


44 1/2"(1130)
46"(1168)
42 3/4"(1086)
42"(1067)
35 13/16"(910)



CCEA6042




CCEA6642




CCEA7242


50 1/2"(1283)
52"(1321)
48 3/4"(1238)
48"(1219)
41 13/16"(1062)



CCEA6048



CCEA6648



CCEA7248

ELEVATION SYMBOL LEGEND:

M.O. = MASORNY OPENING

VALUES IN () ARE IN MILLIMETER CONVERSIONS

NUMBER INDICATES PREFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING



TWIN UNITS

	39 1/4"(997)	43 1/4"(1099)	51 1/4"(1302)	59 1/4"(1505)	63 1/4"(1607)	67 1/4"(1708)	75 1/4"(1911)
MO BRICKMOLD	42 5/16"(1075)	46 5/16"(1176)	54 5/16"(1380)	62 5/16"(1583)	66 5/16"(1684)	70 5/16"(1786)	78 5/16"(1989)
MO FLAT CASING	36 3/4"(934)	40 3/4"(1035)	48 3/4"(1238)	56 3/4"(1442)	60 3/4"(1543)	64 3/4"(1645)	72 3/4"(1848)
ROUGH OPENING	36"(914)	40"(1016)	48"(1219)	56"(1422)	60"(1524)	64"(1626)	72"(1829)
FRAME SIZE	11 13/16"(302)[2]	13 13/16"(351)[2]	17 13/16"(452)[2]	21 13/16"(554)[2]	23 13/16"(605)[2]	25 13/16"(656)[2]	29 13/16"(757)[2]
DAYLIGHT OPENING	16 1/2"(419)	18 1/2"(467)	20 1/2"(521)	22 1/2"(572)	24 1/2"(623)	26 1/2"(671)	30 1/2"(775)
	181(457)	14 3/4"(375)	22"(559)	24"(610)	28"(711)	32"(813)	36"(914)
	14 3/4"(375)	18 1/2"(467)	20 1/2"(521)	22 1/2"(572)	24 3/4"(629)	28 3/4"(730)	32 3/4"(832)
	14"(356)	18"(457)	20"(508)	22"(559)	24"(610)	28"(711)	32"(813)
	7 13/16"(198)	11 13/16"(300)	13 13/16"(351)	17 13/16"(452)	21 13/16"(554)	25 13/16"(656)	29 13/16"(757)
	CCEA1814-2	CCEA2014-2	CCEA2414-2	CCEA2814-2	CCEA3014-2	CCEA3214-2	CCEA3614-2
	CCEA1818-2	CCEA2018-2	CCEA2418-2	CCEA2818-2	CCEA3018-2	CCEA3218-2	CCEA3618-2
	CCEA1820-2	CCEA2020-2	CCEA2420-2	CCEA2820-2	CCEA3020-2	CCEA3220-2	CCEA3620-2
	CCEA1824-2	CCEA2024-2	CCEA2424-2	CCEA2824-2	CCEA3024-2	CCEA3224-2	CCEA3624-2
	CCEA1828-2	CCEA2028-2	CCEA2428-2	CCEA2828-2	CCEA3028-2	CCEA3228-2	CCEA3628-2
	CCEA1830-2	CCEA2030-2	CCEA2430-2	CCEA2830-2	CCEA3030-2	CCEA3230-2	CCEA3630-2
	CCEA1832-2	CCEA2032-2	CCEA2432-2	CCEA2832-2	CCEA3032-2	CCEA3232-2	CCEA3632-2
	CCEA1836-2	CCEA2036-2	CCEA2436-2	CCEA2836-2	CCEA3036-2	CCEA3236-2	CCEA3636-2
	CCEA1840-2	CCEA2040-2	CCEA2440-2	CCEA2840-2	CCEA3040-2	CCEA3240-2	CCEA3640-2
	CCEA1842-2	CCEA2042-2	CCEA2442-2	CCEA2842-2	CCEA3042-2	CCEA3242-2	CCEA3642-2
	CCEA1848-2	CCEA2048-2	CCEA2448-2	CCEA2848-2	CCEA3048-2	CCEA3248-2	CCEA3648-2

ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS



TWIN UNITS

MO BRICKMOLD	83 1/4"(2115)	87 1/4"(2216)	99 1/4"(2521)
MO FLAT CASING	86 5/16"(2192)	90 5/16"(2294)	102 5/16"(2599)
ROUGH OPENING	80 3/4"(2051)	84 3/4"(2153)	96 3/4"(2458)
FRAME SIZE	80"(2032)	84"(2134)	96"(2438)
DAYLIGHT OPENING	33 13/16"(859)[2]	35 13/16"(910)[2]	41 13/16"(1062)[2]
16 1/2"(419) 16 (457) 14 3/4"(375) 14 (359)			
20 1/2"(521) 22 (559) 16 3/4"(416) 16 (457)			
22 1/2"(572) 24 (610) 20 3/4"(527) 20 (509)			
26 1/2"(671) 28 (711) 24 3/4"(628) 24 (610)			
30 1/2"(775) 32 (813) 28 3/4"(730) 28 (711)			
32 1/2"(826) 34 (864) 30 3/4"(781) 30 (762)			
34 1/2"(876) 36 (914) 32 3/4"(832) 32 (813)			
38 1/2"(978) 40 (1016) 36 3/4"(933) 36 (914)			
42 1/2"(1080) 44 (1118) 40 3/4"(1035) 40 (1016)			
44 1/2"(1130) 46 (1168) 42 3/4"(1086) 42 (1067)			
50 1/2"(1283) 52 (1321) 48 3/4"(1238) 48 (1219)			

ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS



2 HIGH UNITS

MO BRICKMOLD	33 1/4"(845)	35 1/4"(895)	39 1/4"(997)	43 1/4"(1099)	45 1/4"(1149)	51 1/4"(1302)
MO FLAT CASING	36 5/16"(922)	38 5/16"(973)	42 5/16"(1075)	46 5/16"(1176)	48 5/16"(1227)	54 5/16"(1380)
ROUGH OPENING	30 3/4"(781)	32 3/4"(832)	36 3/4"(933)	40 3/4"(1035)	42 3/4"(1086)	48 3/4"(1238)
FRAME SIZE	30"(762)	32"(813)	36"(914)	40"(1016)	42"(1067)	48"(1219)
DAYLIGHT OPENING	23 13/16"(605)	25 13/16"(656)	29 13/16"(757)	33 13/16"(859)	35 13/16"(910)	41 13/16"(1062)

38 1/2"(978) 40"(1016) 36 3/4"(933) 36"(914)						
	CCEA3018-12	CCEA3218-12	CCEA3618-12	CCEA4018-12	CCEA4218-12	CCEA4818-12
42 1/2"(1080) 44"(1118) 40 3/4"(1035) 40"(1016)						
	CCEA3020-12	CCEA3220-12	CCEA3620-12	CCEA4020-12	CCEA4220-12	CCEA4820-12
50 1/2"(1283) 52"(1321) 48 3/4"(1238) 48"(1219)						
	CCEA3024-12	CCEA3224-12	CCEA3624-12	CCEA4024-12	CCEA4224-12	CCEA4824-12
58 1/2"(1486) 60"(1524) 56 3/4"(1442) 56"(1422)						
	CCEA3028-12	CCEA3228-12	CCEA3628-12	CCEA4028-12	CCEA4228-12	CCEA4828-12
62 1/2"(1588) 64"(1626) 60 3/4"(1543) 60"(1524)						
	CCEA3030-12	CCEA3230-12	CCEA3630-12	CCEA4030-12	CCEA4230-12	CCEA4830-12
66 1/2"(1689) 68"(1727) 64 3/4"(1645) 64"(1626)						
	CCEA3032-12	CCEA3232-12	CCEA3632-12	CCEA4032-12	CCEA4232-12	CCEA4832-12
74 1/2"(1892) 76"(1930) 72 3/4"(1848) 72"(1829)						
	CCEA3036-12	CCEA3236-12	CCEA3636-12	CCEA4036-12	CCEA4236-12	CCEA4836-12
82 1/2"(2096) 84"(2134) 80 3/4"(2051) 80"(2032)						
	CCEA3040-12	CCEA3240-12	CCEA3640-12	CCEA4040-12	CCEA4240-12	CCEA4840-12
86 1/2"(2197) 88"(2235) 84 3/4"(2153) 84"(2134)						
	CCEA3042-12	CCEA3242-12	CCEA3642-12	CCEA4042-12	CCEA4242-12	CCEA4842-12


ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS



2 HIGH UNITS

MO BRICKMOLD	33 1/4"(845)	35 1/4"(895)	39 1/4"(997)	43 1/4"(1099)	45 1/4"(1149)	51 1/4"(1302)
MO FLAT CASING	36 5/16"(922)	38 5/16"(973)	42 5/16"(1075)	46 5/16"(1176)	48 5/16"(1227)	54 5/16"(1380)
ROUGH OPENING	30 3/4"(781)	32 3/4"(832)	36 3/4"(933)	40 3/4"(1035)	42 3/4"(1086)	48 3/4"(1238)
FRAME SIZE	30"(762)	32"(813)	36"(914)	40"(1016)	42"(1067)	48"(1219)
DAYLIGHT OPENING	23 13/16"(605)	25 13/16"(656)	29 13/16"(757)	33 13/16"(859)	35 13/16"(910)	41 13/16"(1062)

98 1/2"(2502)
100"(2540)
96 3/4"(2468)
96"(2438)
41 13/16"(1062)[2]





2 WIDE 2 HIGH UNITS

MO BRICKMOLD MO FLAT CASING ROUGH OPENING FRAME SIZE DAYLIGHT OPENING	63 1/4"(1607) 66 5/16"(1684) 60 3/4"(1543) 60"(1524) 23 13/16"(605)[2]	67 1/4"(1708) 70 5/16"(1786) 64 3/4"(1645) 64"(1626) 25 13/16"(656)[2]	75 1/4"(1911) 78 5/16"(1989) 72 3/4"(1848) 72"(1829) 29 13/16"(757)[2]	83 1/4"(2115) 86 5/16"(2192) 80 3/4"(2051) 80"(2032) 33 13/16"(859)[2]	87 1/4"(2216) 90 5/16"(2294) 84 3/4"(2153) 84"(2134) 35 13/16"(910)[2]	99 1/4"(2521) 102 5/16"(2599) 96 3/4"(2458) 96"(2438) 41 13/16"(1062)[2]
38 1/2"(978) 40"(1016) 36 3/4"(933) 36"(914) 11 13/16"(300)[2]						
42 1/2"(1080) 44"(1118) 40 3/4"(1035) 40"(1016) 13 13/16"(351)[2]						
50 1/2"(1283) 52"(1321) 48 3/4"(1238) 48"(1219) 17 13/16"(452)[2]						
58 1/2"(1486) 60"(1524) 56 3/4"(1442) 56"(1422) 21 13/16"(554)[2]						
62 1/2"(1588) 64"(1626) 60 3/4"(1543) 60"(1524) 23 13/16"(605)[2]						
66 1/2"(1689) 68"(1727) 64 3/4"(1645) 64"(1626) 25 13/16"(656)[2]						
74 1/2"(1892) 76"(1930) 72 3/4"(1848) 72"(1829) 29 13/16"(757)[2]						
82 1/2"(2096) 84"(2134) 80 3/4"(2051) 80"(2032) 33 13/16"(859)[2]						
86 1/2"(2197) 88"(2235) 84 3/4"(2153) 84"(2134) 35 13/16"(910)[2]						

ELEVATION SYMBOL LEGEND:


M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS




2 WIDE 2 HIGH UNITS

MO BRICKMOLD	63 1/4"(1607)	67 1/4"(1708)	75 1/4"(1911)	83 1/4"(2115)	87 1/4"(2216)	99 1/4"(2521)
MO FLAT CASING	66 5/16"(1684)	70 5/16"(1786)	78 5/16"(1989)	86 5/16"(2192)	90 5/16"(2294)	102 5/16"(2599)
ROUGH OPENING	60 3/4"(1543)	64 3/4"(1645)	72 3/4"(1848)	80 3/4"(2051)	84 3/4"(2153)	96 3/4"(2458)
FRAME SIZE	60"(1524)	64"(1626)	72"(1829)	80"(2032)	84"(2134)	96"(2438)
DAYLIGHT OPENING	23 13/16"(605)[2]	25 13/16"(656)[2]	29 13/16"(757)[2]	33 13/16"(859)[2]	35 13/16"(910)[2]	41 13/16"(1062)[2]


98 1/2"(2502)
100"(2540)
96 3/4"(2458)
96"(2438)
41 13/16"(1062)[2]




CCEA3048-22




CCEA3248-22




CCEA3648-22



CCEA4048-22



CCEA4448-22



CCEA4848-22

ELEVATION SYMBOL LEGEND:

M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS