



TABLE OF CONTENTS

---

**Elevations**

Inswing Half Round Units .....	2
Outswing Half Round Units .....	3
Casement In-Sash Quarter Round Units.....	5
Casement In-Sash Half Round Units.....	6
Double Hung Quarter Round Units .....	7
Double Hung Half Round Units .....	8

Note:

Elevations shown DO NOT have exterior trim.

Subtract 3/4"(19) from M.O.(Masonry Opening) for Unit Sizes.

Masonry openings above include Sill Nose, see Trim Options page for Sill Nose specifications.

For other Trim Options refer to the Unit Sizing, Rough Opening & Masonry Openings page.



INSWING HALF ROUND UNITS

MO BRICKMOLD 26 11/16"(678)  
MO FLAT CASING 29 3/4"(756)  
ROUGH OPENING 24 3/16"(614)  
FRAME SIZE 23 7/16"(595)  
DAYLIGHT OPENING 17 5/16"(440)

14 1/4"(362)  
15 3/4"(400)  
12 1/2"(318)  
11 3/4"(298)  
5 5/8"(143)



CCEIPD20HRIS

32 11/16"(830)  
35 3/4"(908)  
30 3/16"(767)  
29 7/16"(748)  
23 5/16"(592)

17 1/4"(438)  
18 3/4"(476)  
15 1/2"(394)  
14 3/4"(375)  
8 5/8"(219)



CCEIPD26HRIS

34 11/16"(881)  
37 3/4"(959)  
32 3/16"(818)  
31 7/16"(799)  
25 5/16"(643)

18 1/4"(464)  
19 3/4"(502)  
16 1/2"(419)  
15 3/4"(400)  
9 5/8"(244)



CCEIPD28HRIS

38 11/16"(983)  
41 3/4"(1060)  
36 3/16"(919)  
35 7/16"(900)  
29 5/16"(745)

20 1/4"(514)  
21 3/4"(552)  
18 1/2"(470)  
17 3/4"(451)  
11 5/8"(285)



CCEIPD30HRIS

49 7/8"(1267)  
52 15/16"(1345)  
47 3/8"(1203)  
46 5/8"(1184)  
40 1/2"(1029)

26 13/16"(681)  
27 5/8"(694)  
24 1/8"(611)  
23 5/16"(592)  
17 3/16"(437)



CCEIPD40HRIS

MO BRICKMOLD 61 7/8"(1572)  
MO FLAT CASING 64 15/16"(1649)  
ROUGH OPENING 59 3/8"(1508)  
FRAME SIZE 58 5/8"(1489)  
DAYLIGHT OPENING 52 1/2"(1334)

32 13/16"(833)  
33 5/16"(846)  
30 1/16"(764)  
29 5/16"(745)  
23 3/16"(589)



CCEIPD50HRIS

65 7/8"(1673)  
68 15/16"(1751)  
63 3/8"(1609)  
62 5/8"(1591)  
56 1/2"(1435)

34 13/16"(884)  
35 5/16"(897)  
32 1/16"(814)  
31 5/16"(795)  
25 3/16"(640)



CCEIPD54HRIS

73 7/8"(1876)  
76 15/16"(1954)  
71 3/8"(1813)  
70 5/8"(1794)  
64 1/2"(1638)

38 13/16"(986)  
39 5/16"(999)  
36 1/16"(916)  
35 5/16"(897)  
29 3/16"(741)



CCEIPD60HRIS

MO BRICKMOLD 28 11/16"(729)  
MO FLAT CASING 31 3/4"(806)  
ROUGH OPENING 26 3/16"(665)  
FRAME SIZE 25 7/16"(646)  
DAYLIGHT OPENING 19 5/16"(491)

15 1/4"(387)  
16 3/4"(425)  
13 1/2"(343)  
12 3/4"(324)  
6 5/8"(168)



CCEIPDT20HRIS

36 11/16"(932)  
39 3/4"(1010)  
34 3/16"(868)  
33 7/16"(849)  
27 5/16"(694)

19 1/4"(489)  
20 3/4"(527)  
17 1/2"(445)  
16 3/4"(425)  
10 5/8"(270)



CCEIPDT28HRIS

40 11/16"(1033)  
43 3/4"(1111)  
38 3/16"(970)  
37 7/16"(951)  
31 5/16"(795)

21 1/4"(540)  
22 3/4"(578)  
19 1/2"(495)  
18 3/4"(476)  
12 5/8"(321)



CCEIPDT30HRIS

46 11/16"(1186)  
49 3/4"(1264)  
44 3/16"(1122)  
43 7/16"(1103)  
37 5/16"(948)


24 1/4"(616)  
25 3/4"(654)  
22 1/2"(572)  
21 3/4"(552)  
15 5/8"(397)



CCEIPDT36HRIS

MO BRICKMOLD 53 7/8"(1368)  
MO FLAT CASING 56 15/16"(1446)  
ROUGH OPENING 51 3/8"(1305)  
FRAME SIZE 50 5/8"(1286)  
DAYLIGHT OPENING 44 1/2"(1130)


28 13/16"(732)  
29 5/16"(745)  
26 1/16"(662)  
25 5/16"(643)  
19 3/16"(487)



CCEIPDT40HRIS

69 7/8"(1775)  
72 15/16"(1853)  
67 3/8"(1711)  
66 5/8"(1692)  
60 1/2"(1537)

36 13/16"(935)  
37 5/16"(948)  
34 1/16"(865)  
33 5/16"(846)  
27 3/16"(691)



CCEIPDT54HRIS

77 7/8"(1978)  
80 15/16"(2056)  
75 3/8"(1915)  
74 5/8"(1895)  
68 1/2"(1740)


40 13/16"(1037)  
41 5/16"(1049)  
38 1/16"(967)  
37 5/16"(948)  
31 3/16"(792)



CCEIPDT60HRIS

MO BRICKMOLD 89 7/8"(2283)  
MO FLAT CASING 92 15/16"(2361)  
ROUGH OPENING 87 3/8"(2219)  
FRAME SIZE 86 5/8"(2200)  
DAYLIGHT OPENING 80 1/2"(2045)

46 13/16"(1189)  
47 5/16"(1202)  
44 1/16"(1119)  
43 5/16"(1100)  
37 3/16"(946)



CCEIPDT70HRIS

ELEVATION SYMBOL LEGEND:  
M.O. = MASORNY OPENING  
VALUES IN ( ) ARE IN MILLIMETER CONVERSIONS



OUTSWING HALF ROUND UNITS

MO BRICKMOLD  
MO FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

50 7/16"(1281)  
53 1/2"(1359)  
47 15/16"(1217)  
47 3/16"(1199)  
41 1/16"(1043)

27 1/8"(689)  
27 5/8"(702)  
24 3/8"(619)  
23 5/8"(600)  
17 1/2"(445)



CCEOPD40HRIS

62 7/16"(1586)  
65 1/2"(1664)  
59 15/16"(1522)  
59 3/16"(1503)  
53 1/16"(1348)

33 1/8"(841)  
33 5/8"(854)  
30 3/8"(772)  
29 5/8"(752)  
23 1/2"(597)



CCEOPD50HRIS

66 7/16"(1688)  
69 1/2"(1765)  
63 15/16"(1624)  
63 3/16"(1605)  
57 1/16"(1449)

35 1/8"(892)  
35 5/8"(905)  
32 3/8"(822)  
31 5/8"(803)  
25 1/2"(648)




CCEOPD54HRIS

MO BRICKMOLD  
MO FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

74 7/16"(1891)  
77 1/2"(1969)  
71 15/16"(1827)  
71 3/16"(1808)  
65 1/16"(1653)

39 1/8"(994)  
39 5/8"(1006)  
36 3/8"(924)  
35 5/8"(905)  
29 1/2"(749)



CCEOPD60HRIS

ELEVATION SYMBOL LEGEND:  
M.O. = MASORNY OPENING  
VALUES IN ( ) ARE IN MILLIMETER CONVERSIONS



OUTSWING HALF ROUND UNITS

MO BRICKMOLD  
MO FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

29 1/4"(743)  
32 5/16"(821)  
26 3/4"(679)  
26"(660)  
19 7/8"(505)

37 1/4"(946)  
40 5/16"(1024)  
34 3/4"(883)  
34"(864)  
27 7/8"(708)

41 1/4"(1048)  
44 5/16"(1126)  
38 3/4"(984)  
38"(965)  
31 7/8"(810)

47 1/4"(1200)  
50 5/16"(1278)  
44 3/4"(1137)  
44"(1118)  
37 7/8"(962)

16 1/2"(419)  
17"(432)  
13 3/4"(349)  
13"(330)  
6 7/8"(175)



CCEOPDT20HRIS

20 1/2"(521)  
21"(533)  
17 3/4"(451)  
17"(432)  
10 7/8"(276)



CCEOPDT28HRIS

22 1/2"(572)  
23"(584)  
19 3/4"(502)  
19"(483)  
12 7/8"(327)



CCEOPDT30HRIS

25 1/2"(648)  
26"(660)  
22 3/4"(578)  
22"(559)  
15 7/8"(403)



CCEOPDT36HRIS

MO BRICKMOLD  
MO FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

54 7/16"(1383)  
57 1/2"(1460)  
51 15/16"(1319)  
51 3/16"(1300)  
45 1/16"(1145)

70 7/16"(1789)  
73 1/2"(1867)  
67 15/16"(1726)  
67 3/16"(1707)  
61 1/16"(1551)

78 7/16"(1992)  
81 1/2"(2070)  
75 15/16"(1929)  
75 3/16"(1910)  
69 1/16"(1754)

29 1/8"(740)  
29 5/8"(752)  
26 3/8"(670)  
25 5/8"(651)  
19 1/2"(485)




CCEOPDT40HRIS

37 1/8"(943)  
37 5/8"(956)  
34 3/8"(873)  
33 5/8"(854)  
27 1/2"(699)



CCEOPDT54HRIS

41 1/8"(1045)  
41 5/8"(1057)  
38 3/8"(975)  
37 5/8"(956)  
31 1/2"(800)




CCEOPDT60HRIS

MO BRICKMOLD  
MO FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

90 7/16"(2297)  
93 1/2"(2380)  
87 15/16"(2234)  
87 3/16"(2215)  
81 1/16"(2059)

47 1/8"(1197)  
47 5/8"(1210)  
44 3/8"(1127)  
43 5/8"(1108)  
37 1/2"(953)



CCEOPDT70HRIS

ELEVATION SYMBOL LEGEND:  
M.O. = MASORNY OPENING  
VALUES IN ( ) ARE IN MILLIMETER CONVERSIONS




CASEMENT IN-SASH QUARTER ROUND UNITS

MO BRICKMOLD  
MO FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING


21 1/4"(540)  
24 5/16"(618)  
18 3/4"(476)  
18"(457)  
11 7/8"(302)

21 1/4"(540)  
24 5/16"(618)  
18 3/4"(476)  
18"(457)  
11 7/8"(302)




18QRIS

23 1/4"(591)  
26 5/16"(668)  
20 3/4"(527)  
20"(508)  
13 7/8"(352)



20QRIS

27 1/4"(692)  
30 5/16"(770)  
24 3/4"(629)  
24"(610)  
17 7/8"(454)




24QRIS

MO BRICKMOLD  
MO FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

31 1/4"(794)  
34 5/16"(872)  
28 3/4"(730)  
28"(711)  
21 7/8"(556)


31 1/4"(794)  
34 5/16"(872)  
28 3/4"(730)  
28"(711)  
21 7/8"(556)



28QRIS

33 1/4"(845)  
36 5/16"(922)  
30 3/4"(781)  
30"(762)  
23 7/8"(607)


33 1/4"(845)  
36 5/16"(922)  
30 3/4"(781)  
30"(762)  
23 7/8"(607)



30QRIS

35 1/4"(895)  
38 5/16"(973)  
32 3/4"(832)  
32"(813)  
25 7/8"(657)

35 1/4"(895)  
38 5/16"(973)  
32 3/4"(832)  
32"(813)  
25 7/8"(657)




32QRIS

MO BRICKMOLD  
MO FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

39 1/4"(997)  
42 5/16"(1075)  
36 3/4"(933)  
36"(914)  
29 7/8"(759)


39 1/4"(997)  
42 5/16"(1075)  
36 3/4"(933)  
36"(914)  
29 7/8"(759)



36QRIS

45 1/4"(1149)  
48 5/16"(1227)  
42 3/4"(1086)  
42"(1067)  
35 7/8"(911)

45 1/4"(1149)  
48 5/16"(1227)  
42 3/4"(1086)  
42"(1067)  
35 7/8"(911)




42QRIS

MO BRICKMOLD  
MO FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

51 1/4"(1302)  
54 5/16"(1380)  
48 3/4"(1238)  
48"(1219)  
41 7/8"(1064)

51 1/4"(1302)  
54 5/16"(1380)  
48 3/4"(1238)  
48"(1219)  
41 7/8"(1064)



48QRIS

ELEVATION SYMBOL LEGEND:  
M.O. = MASORNY OPENING  
VALUES IN ( ) ARE IN MILLIMETER CONVERSIONS



CASEMENT IN-SASH HALF ROUND UNITS

MO BRICKMOLD	21 1/4"(540)	23 1/4"(591)	27 1/4"(692)	31 1/4"(794)	33 1/4"(845)
MO FLAT CASING	24 5/16"(618)	26 5/16"(668)	30 5/16"(770)	34 5/16"(872)	36 5/16"(922)
ROUGH OPENING	18 3/4"(476)	20 3/4"(527)	24 3/4"(629)	28 3/4"(730)	30 3/4"(781)
FRAME SIZE	18"(457)	20"(508)	24"(610)	28"(711)	30"(762)
DAYLIGHT OPENING	11 7/8"(302)	13 7/8"(352)	17 7/8"(454)	21 7/8"(556)	23 7/8"(607)

11 1/2"(292)  
13"(330)  
9 3/4"(248)  
2 7/8"(73)



18HRIS

12 1/2"(318)  
14"(356)  
10 3/4"(273)  
10"(254)  
3 7/8"(98)



20HRIS

14 1/2"(368)  
16"(406)  
12 3/4"(324)  
12"(305)  
5 7/8"(149)



24HRIS

16 1/2"(419)  
18"(457)  
14 3/4"(375)  
14"(356)  
7 7/8"(200)



28HRIS

17 1/2"(445)  
19"(483)  
15 3/4"(400)  
15"(381)  
8 7/8"(225)



30HRIS

MO BRICKMOLD	35 1/4"(895)	39 1/4"(997)	43 1/4"(1099)	45 1/4"(1149)
MO FLAT CASING	38 5/16"(973)	42 5/16"(1075)	46 5/16"(1176)	48 5/16"(1227)
ROUGH OPENING	32 3/4"(832)	36 3/4"(933)	40 3/4"(1035)	42 3/4"(1086)
FRAME SIZE	32"(813)	36"(914)	40"(1016)	42"(1067)
DAYLIGHT OPENING	25 7/8"(657)	29 7/8"(759)	33 7/8"(860)	35 7/8"(911)

18 1/2"(470)  
20"(508)  
16 3/4"(425)  
16"(406)  
9 7/8"(251)



32HRIS

20 1/2"(521)  
22"(559)  
18 3/4"(476)  
18"(457)  
11 7/8"(302)




36HRIS

22 1/2"(572)  
24"(610)  
20 3/4"(527)  
20"(508)  
13 7/8"(352)



40HRIS

23 1/2"(597)  
25"(635)  
21 3/4"(552)  
21"(533)  
14 7/8"(378)



42HRIS

MO BRICKMOLD	51 1/4"(1302)	57 1/4"(1454)	59 1/4"(1505)
MO FLAT CASING	54 5/16"(1380)	60 5/16"(1532)	62 5/16"(1583)
ROUGH OPENING	48 3/4"(1238)	54 3/4"(1391)	56 3/4"(1441)
FRAME SIZE	48"(1219)	54"(1372)	56"(1422)
DAYLIGHT OPENING	41 7/8"(1064)	47 7/8"(1216)	49 7/8"(1267)

26 1/2"(673)  
28"(711)  
24 3/4"(629)  
24"(610)  
17 7/8"(454)




48HRIS

29 1/2"(749)  
31"(787)  
27 3/4"(705)  
27"(686)  
20 7/8"(530)



54HRIS

30 1/2"(775)  
32"(813)  
28 3/4"(730)  
28"(711)  
21 7/8"(556)



56HRIS

MO BRICKMOLD	63 1/4"(1607)	67 1/4"(1708)	69 1/4"(1759)
MO FLAT CASING	66 5/16"(1684)	70 5/16"(1786)	72 5/16"(1837)
ROUGH OPENING	60 3/4"(1543)	64 3/4"(1645)	66 3/4"(1695)
FRAME SIZE	60"(1524)	64"(1626)	66"(1676)
DAYLIGHT OPENING	53 7/8"(1368)	57 7/8"(1470)	59 7/8"(1521)

32 1/2"(826)  
34"(864)  
30 3/4"(781)  
30"(762)  
23 7/8"(607)



60HRIS

34 1/2"(876)  
36"(914)  
32 3/4"(832)  
32"(813)  
25 7/8"(657)



64HRIS

35 1/2"(902)  
37"(940)  
33 3/4"(857)  
33"(838)  
26 7/8"(683)



66HRIS

MO BRICKMOLD	75 1/4"(1911)	87 1/4"(2216)
MO FLAT CASING	78 5/16"(1989)	90 5/16"(2294)
ROUGH OPENING	72 3/4"(1848)	84 3/4"(2153)
FRAME SIZE	72"(1829)	84"(1880)
DAYLIGHT OPENING	65 7/8"(1673)	77 7/8"(1978)

38 1/2"(978)  
40"(1016)  
36 3/4"(933)  
36"(914)  
29 7/8"(759)



72HRIS

44 1/2"(1130)  
46"(1168)  
42 3/4"(1086)  
42"(1067)  
35 7/8"(911)



84HRIS

MO BRICKMOLD	93 1/4"(2369)	99 1/4"(2521)
MO FLAT CASING	96 5/16"(2446)	102 5/16"(2599)
ROUGH OPENING	90 3/4"(2305)	96 3/4"(2457)
FRAME SIZE	90"(2286)	96"(2438)
DAYLIGHT OPENING	83 7/8"(2130)	89 7/8"(2283)

47 1/2"(1207)  
49"(1245)  
45 3/4"(1162)  
45"(1143)  
38 7/8"(987)



90HRIS

50 1/2"(1283)  
52"(1321)  
48 3/4"(1238)  
48"(1219)  
41 7/8"(1064)



96HRIS

ELEVATION SYMBOL LEGEND:  
M.O. = MASORNY OPENING  
VALUES IN ( ) ARE IN MILLIMETER CONVERSIONS



DOUBLE HUNG QUARTER ROUND


MO BRICKMOLD	24 5/8"(625)	28 5/8"(727)	32 5/8"(829)	34 5/8"(879)	36 5/8"(930)
MO FLAT CASING	27 11/16"(703)	31 11/16"(805)	35 11/16"(906)	37 11/16"(957)	39 11/16"(1008)
ROUGH OPENING	22 1/8"(562)	26 1/8"(664)	30 1/8"(765)	32 1/8"(816)	34 1/8"(867)
FRAME SIZE	21 3/8"(543)	25 3/8"(645)	29 3/8"(746)	31 3/8"(797)	33 3/8"(848)
DAYLIGHT OPENING	15 3/16"(386)	19 3/16"(487)	23 3/16"(589)	25 3/16"(640)	27 3/16"(691)

24 5/8"(625)  
27 11/16"(703)  
22 1/8"(562)  
21 3/8"(543)  
15 3/16"(386)




CCED21QRIS

28 5/8"(727)  
31 11/16"(805)  
26 1/8"(664)  
25 3/8"(645)  
19 3/16"(487)




CCED25QRIS

32 5/8"(829)  
35 11/16"(906)  
30 1/8"(765)  
29 3/8"(746)  
23 3/16"(589)




CCED29QRIS

34 5/8"(879)  
37 11/16"(957)  
32 1/8"(816)  
31 3/8"(797)  
25 3/16"(640)



CCED31QRIS


36 5/8"(930)  
39 11/16"(1008)  
34 1/8"(867)  
33 3/8"(848)  
27 3/16"(691)



CCED33QRIS


MO BRICKMOLD	38 5/8"(981)
MO FLAT CASING	41 11/16"(1059)
ROUGH OPENING	36 1/8"(918)
FRAME SIZE	35 3/8"(899)
DAYLIGHT OPENING	29 3/16"(741)

38 5/8"(981)  
41 11/16"(1059)  
36 1/8"(918)  
35 3/8"(899)  
29 3/16"(741)




CCED35QRIS

40 5/8"(1032)  
43 11/16"(1110)  
38 1/8"(968)  
37 3/8"(949)  
31 3/16"(762)




CCED37QRIS

44 5/8"(1133)  
47 11/16"(1211)  
42 1/8"(1070)  
41 3/8"(1051)  
35 3/16"(894)



CCED41QRIS


48 5/8"(1235)  
51 11/16"(1312)  
46 1/8"(1172)  
45 3/8"(1153)  
39 3/16"(995)



CCED45QRIS

MO BRICKMOLD	52 5/8"(1337)
MO FLAT CASING	55 11/16"(1414)
ROUGH OPENING	50 1/8"(1273)
FRAME SIZE	49 3/8"(1254)
DAYLIGHT OPENING	43 3/16"(1097)

52 5/8"(1337)  
55 11/16"(1414)  
50 1/8"(1273)  
49 3/8"(1254)  
43 3/16"(1097)



CCED49QRIS

ELEVATION SYMBOL LEGEND:

M.O. = MASORNY OPENING  
VALUES IN ( ) ARE IN MILLIMETER CONVERSIONS



DOUBLE HUNG HALF ROUND

MO BRICKMOLD	24 5/8"(625)	28 5/8"(727)	32 5/8"(829)	34 5/8"(879)	36 5/8"(930)
MO FLAT CASING	27 11/16"(703)	31 11/16"(805)	35 11/16"(906)	37 11/16"(957)	39 11/16"(1008)
ROUGH OPENING	22 1/8"(562)	26 1/8"(664)	30 1/8"(765)	32 1/8"(816)	34 1/8"(867)
FRAME SIZE	21 3/8"(543)	25 3/8"(645)	29 3/8"(746)	31 3/8"(797)	33 3/8"(848)
DAYLIGHT OPENING	15 3/16"(386)	19 3/16"(487)	23 3/16"(589)	25 3/16"(640)	27 3/16"(691)

13 3/16"(335)  
14 11/16"(373)  
11 7/16"(291)  
10 11/16"(271)  
4 9/16"(116)



CCED21HRIS

15 3/16"(386)  
16 11/16"(424)  
13 7/16"(341)  
12 11/16"(322)  
6 9/16"(167)



CCED25HRIS

17 3/16"(437)  
18 11/16"(475)  
15 7/16"(392)  
14 11/16"(373)  
8 9/16"(217)



CCED29HRIS

18 3/16"(462)  
19 11/16"(500)  
16 7/16"(418)  
15 11/16"(398)  
9 9/16"(243)



CCED31HRIS

19 3/16"(487)  
20 11/16"(525)  
17 7/16"(443)  
16 11/16"(424)  
10 9/16"(268)



CCED33HRIS

MO BRICKMOLD	38 5/8"(981)	40 5/8"(1032)	44 5/8"(1133)	48 5/8"(1235)
MO FLAT CASING	41 11/16"(1059)	43 11/16"(1110)	47 11/16"(1211)	51 11/16"(1312)
ROUGH OPENING	36 1/8"(918)	38 1/8"(968)	42 1/8"(1070)	46 1/8"(1172)
FRAME SIZE	35 3/8"(899)	37 3/8"(949)	41 3/8"(1051)	45 3/8"(1153)
DAYLIGHT OPENING	29 3/16"(741)	31 3/16"(762)	35 3/16"(894)	39 3/16"(995)

20 3/16"(513)  
21 11/16"(551)  
18 7/16"(468)  
17 11/16"(449)  
11 9/16"(304)



CCED35HRIS

21 3/16"(538)  
22 11/16"(576)  
19 7/16"(494)  
18 11/16"(475)  
12 9/16"(319)



CCED37HRIS

23 3/16"(589)  
24 11/16"(627)  
21 7/16"(545)  
20 11/16"(525)  
14 9/16"(370)



CCED41HRIS

25 3/16"(640)  
26 11/16"(678)  
23 7/16"(595)  
22 11/16"(576)  
16 9/16"(421)



CCED45HRIS

MO BRICKMOLD	50 5/8"(1286)
MO FLAT CASING	53 11/16"(1364)
ROUGH OPENING	48 1/8"(1222)
FRAME SIZE	47 3/8"(1203)
DAYLIGHT OPENING	41 3/16"(1046)

26 3/16"(665)  
27 11/16"(703)  
24 7/16"(621)  
23 11/16"(602)  
17 9/16"(446)



CCED49HRIS

**ELEVATION SYMBOL LEGEND:**  
M.O. = MASORNY OPENING  
VALUES IN ( ) ARE IN MILLIMETER CONVERSIONS