



TABLE OF CONTENTS

Elevations

Operator Units	2
Picture Units	8
Twin Units	14
2 High Units.....	16
2 Wide 2 High Units.....	18
30" Wide WBAP Combo Units.....	20
32" Wide WBAP Combo Units.....	24
36" Wide WBAP Combo Units.....	28
42" Wide WBAP Combo Units.....	32
48" Wide WBAP Combo Units.....	36

Note:

Elevations shown DO NOT have exterior trim.

Subtract 1/2"(12.7) from M.O.(Masonry Opening) for Unit Sizes.

Masonry openings above include Sill Nose, see Trim Options page for Sill Nose specifications.

For other Trim Options refer to the Unit Sizing, Rough Opening & Masonry Openings page.



OPERATOR UNITS

MO BRICKMOLD	21 1/4"(540)	23 1/4"(591)	27 1/4"(692)	31 1/4"(794)	33 1/4"(845)	35 1/4"(895)	39 1/4"(997)
MO FLAT CASING	24 5/16"(618)	26 5/16"(668)	30 5/16"(770)	34 5/16"(872)	36 5/16"(922)	38 5/16"(973)	42 5/16"(1075)
ROUGH OPENING	18 3/4"(476)	20 3/4"(527)	24 3/4"(629)	28 3/4"(730)	30 3/4"(781)	32 3/4"(832)	36 3/4"(933)
FRAME SIZE	18"(457)	20"(508)	24"(610)	28"(711)	30"(762)	32"(813)	36"(914)
DAYLIGHT OPENING	13 1/16"(332)	15 1/16"(383)	19 1/16"(484)	23 1/16"(586)	25 1/16"(637)	27 1/16"(687)	31 1/16"(789)
17 11/32"(441) 18 7/8"(479) 14 3/4"(375) 14"(356) 8 15/32"(215)							
21 11/32"(542) 22 7/8"(581) 18 3/4"(476) 18"(457) 12 15/32"(317)							
23 11/32"(593) 24 7/8"(632) 20 3/4"(527) 20"(508) 14 15/32"(368)							
27 11/32"(695) 28 7/8"(733) 24 3/4"(629) 24"(610) 18 15/32"(469)							
31 11/32"(796) 32 7/8"(835) 28 3/4"(730) 28"(711) 22 15/32"(571)							
33 11/32"(847) 34 7/8"(886) 30 3/4"(781) 30"(762) 24 15/32"(622)							
35 11/32"(898) 36 7/8"(937) 32 3/4"(832) 32"(813) 26 15/32"(672)							
39 11/32"(999) 40 7/8"(1038) 36 3/4"(933) 36"(914) 30 15/32"(774)							
43 11/32"(1101) 44 7/8"(1140) 40 3/4"(1035) 40"(1016) 34 15/32"(876)							

ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS
NUMBER INDICATES PERFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING



OPERATOR UNITS

	21 1/4"(540)	23 1/4"(591)	27 1/4"(692)	31 1/4"(794)	33 1/4"(845)	35 1/4"(895)	39 1/4"(997)
MO BRICKMOLD	24 5/16"(618)	26 5/16"(668)	30 5/16"(770)	34 5/16"(872)	36 5/16"(922)	38 5/16"(973)	42 5/16"(1075)
MO FLAT CASING	18 3/4"(476)	20 3/4"(527)	24 3/4"(629)	28 3/4"(730)	30 3/4"(781)	32 3/4"(832)	36 3/4"(933)
ROUGH OPENING	18"(457)	20"(508)	24"(610)	28"(711)	30"(762)	32"(813)	36"(914)
FRAME SIZE	13 1/16"(332)	15 1/16"(383)	19 1/16"(484)	23 1/16"(586)	25 1/16"(637)	27 1/16"(687)	31 1/16"(789)
DAYLIGHT OPENING							
	CWA1842	CWA2042	CWA2442	CWA2842	CWA3042	CWA3242	CWA3642
	CWA1848	CWA2048	CWA2448	CWA2848	CWA3048	CWA3248	CWA3648

45 11/32"(1152)
46 7/8"(1191)
42 3/4"(1086)
42"(1067)
36 15/32"(926)

51 11/32"(1304)
52 7/8"(1343)
48 3/4"(1238)
48"(1219)
42 15/32"(1079)

ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS
NUMBER INDICATES PERFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING



OPERATOR UNITS

	43 1/4"(1099)	45 1/4"(1149)	51 1/4"(1302)	57 1/4"(1454)	59 1/4"(1505)
MO BRICKMOLD	46 5/16"(1176)	48 5/16"(1227)	54 5/16"(1380)	60 5/16"(1532)	62 5/16"(1583)
MO FLAT CASING	40 3/4"(1035)	42 3/4"(1086)	48 3/4"(1238)	54 3/4"(1391)	56 3/4"(1441)
ROUGH OPENING	40"(1016)	42"(1067)	48"(1219)	54"(1372)	56"(1422)
FRAME SIZE	35 1/16"(891)	37 1/16"(941)	43 1/16"(1094)	49 1/16"(1246)	51 1/16"(1297)
DAYLIGHT OPENING					
17 11/32"(441)					
18 7/8"(479)					
14 3/4"(476)					
14"(366)					
8 15/32"(215)					
21 11/32"(642)					
22 7/8"(681)					
18 3/4"(476)					
18"(457)					
12 15/32"(317)					
23 11/32"(693)					
24 7/8"(692)					
20 3/4"(527)					
20"(508)					
14 15/32"(368)					
27 11/32"(695)					
28 7/8"(733)					
24 3/4"(629)					
24"(610)					
18 15/32"(469)					
31 11/32"(796)					
32 7/8"(835)					
28 3/4"(730)					
28"(711)					
22 15/32"(571)					
33 11/32"(847)					
34 7/8"(886)					
30 3/4"(781)					
30"(762)					
24 15/32"(622)					

ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS
NUMBER INDICATES PERFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING












OPERATOR UNITS

	43 1/4"(1099)	45 1/4"(1149)	51 1/4"(1302)	57 1/4"(1454)	59 1/4"(1505)
MO BRICKMOLD	43 1/4"(1099)	45 1/4"(1149)	51 1/4"(1302)	57 1/4"(1454)	59 1/4"(1505)
MO FLAT CASING	46 5/16"(1176)	48 5/16"(1227)	54 5/16"(1380)	60 5/16"(1532)	62 5/16"(1583)
ROUGH OPENING	40 3/4"(1035)	42 3/4"(1086)	48 3/4"(1238)	54 3/4"(1391)	56 3/4"(1441)
FRAME SIZE	40"(1016)	42"(1067)	48"(1219)	54"(1372)	56"(1422)
DAYLIGHT OPENING	35 1/16"(891)	37 1/16"(941)	43 1/16"(1094)	49 1/16"(1246)	51 1/16"(1297)
35 11/32"(898)					
36 7/8"(937)					
32 3/4"(832)					
32"(813)					
26 15/32"(672)					
39 11/32"(989)					
40 7/8"(1038)					
36 3/4"(933)					
36"(914)					
30 15/32"(774)					
43 11/32"(1101)					
44 7/8"(1140)					
40 3/4"(1035)					
40"(1016)					
34 15/32"(876)					
45 11/32"(1152)					
46 7/8"(1191)					
42 3/4"(1086)					
42"(1067)					
36 15/32"(926)					
51 11/32"(1304)					
52 7/8"(1343)					
48 3/4"(1238)					
48"(1219)					
42 15/32"(1079)					

ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS
NUMBER INDICATES PREFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING



OPERATOR UNITS

	63 1/4"(1607)	69 1/4"(1759)	75 1/4"(1911)
MO BRICKMOLD	66 5/16"(1684)	72 5/16"(1837)	78 5/16"(1989)
MO FLAT CASING	60 3/4"(1543)	66 3/4"(1695)	72 3/4"(1848)
ROUGH OPENING	60"(1524)	66"(1676)	72"(1829)
FRAME SIZE	55 1/16"(1399)	61 1/16"(1551)	67 1/16"(1703)
DAYLIGHT OPENING			
17 11/32"(444)			
18 7/8"(470)	CWA6014	CWA6614	CWA7214
14 3/4"(375)			
14 1/2"(368)			
8 15/32"(215)			
21 1/2"(542)			
22 7/8"(581)	CWA6018	CWA6618	CWA7218
16 3/4"(425)			
18 1/4"(457)			
12 15/32"(317)			
23 1/2"(593)			
24 1/4"(621)	CWA6020	CWA6620	CWA7220
20 1/4"(527)			
20 7/8"(527)			
14 15/32"(368)			

ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS
NUMBER INDICATES PREFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING



OPERATOR UNITS

MO BRICKMOLD
MO FLAT CASING
ROUGH OPENING
FRAME SIZE
DAYLIGHT OPENING

63 1/4"(1607)
66 5/16"(1684)
60 3/4"(1543)
60"(1524)
55 1/16"(1399)

69 1/4"(1759)
72 5/16"(1837)
66 3/4"(1695)
66"(1676)
61 1/16"(1551)

75 1/4"(1911)
78 5/16"(1989)
72 3/4"(1848)
72"(1829)
67 1/16"(1703)

27 11/32"(695)
28 7/8"(733)
24 3/4"(629)
24"(610)
18 15/32"(469)



CWA6024



CWA6624



CWA7224

31 11/32"(796)
32 7/8"(835)
28 3/4"(730)
28"(711)
22 15/32"(571)



CWA6028



CWA6628



CWA7228


33 11/32"(847)
34 7/8"(886)
30 3/4"(781)
30"(762)
24 15/32"(622)



CWA6030




CWA6630




CWA7230

35 11/32"(898)
36 7/8"(937)
32 3/4"(832)
32"(813)
26 15/32"(672)



CWA6032



CWA6632



CWA7232


39 11/32"(999)
40 7/8"(1038)
36 3/4"(933)
36"(914)
30 15/32"(774)



CWA6036



CWA6636



CWA7236

43 11/32"(1101)
44 7/8"(1140)
40 3/4"(1035)
40"(1016)
34 15/32"(876)



CWA6040



CWA6640



CWA7240

45 11/32"(1152)
46 7/8"(1191)
42 3/4"(1086)
42"(1067)
36 15/32"(926)



CWA6042




CWA6642



CWA7242

51 11/32"(1304)
52 7/8"(1343)
48 3/4"(1238)
48"(1219)
42 15/32"(1079)



CWA6048



CWA6648



CWA7248

ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS
NUMBER INDICATES PREFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING



PICTURE UNITS

	21 1/4"(540)	23 1/4"(591)	27 1/4"(692)	31 1/4"(794)	33 1/4"(845)	35 1/4"(895)	39 1/4"(997)
MO BRICKMOLD	24 5/16"(618)	26 5/16"(668)	30 5/16"(770)	34 5/16"(872)	36 5/16"(922)	38 5/16"(973)	42 5/16"(1075)
MO FLAT CASING	18 3/4"(476)	20 3/4"(527)	24 3/4"(629)	28 3/4"(730)	30 3/4"(781)	32 3/4"(832)	36 3/4"(933)
ROUGH OPENING	18"(457)	20"(508)	24"(610)	28"(711)	30"(762)	32"(813)	36"(914)
FRAME SIZE	13 1/16"(332)	15 1/16"(383)	19 1/16"(484)	23 1/16"(586)	25 1/16"(637)	27 1/16"(687)	31 1/16"(789)
DAYLIGHT OPENING	17 11/32"(441)	17 11/32"(441)	17 11/32"(441)	17 11/32"(441)	17 11/32"(441)	17 11/32"(441)	17 11/32"(441)
	18 7/8"(479)	18 7/8"(479)	18 7/8"(479)	18 7/8"(479)	18 7/8"(479)	18 7/8"(479)	18 7/8"(479)
	14 3/4"(375)	14 3/4"(375)	14 3/4"(375)	14 3/4"(375)	14 3/4"(375)	14 3/4"(375)	14 3/4"(375)
	14"(356)	14"(356)	14"(356)	14"(356)	14"(356)	14"(356)	14"(356)
	8 15/32"(215)	8 15/32"(215)	8 15/32"(215)	8 15/32"(215)	8 15/32"(215)	8 15/32"(215)	8 15/32"(215)
	CWA1814	CWA2014	CWA2414	CWA2814	CWA3014	CWA3214	CWA3614
	21 11/32"(642)	21 11/32"(642)	21 11/32"(642)	21 11/32"(642)	21 11/32"(642)	21 11/32"(642)	21 11/32"(642)
	22 7/8"(581)	22 7/8"(581)	22 7/8"(581)	22 7/8"(581)	22 7/8"(581)	22 7/8"(581)	22 7/8"(581)
	18 3/4"(476)	18 3/4"(476)	18 3/4"(476)	18 3/4"(476)	18 3/4"(476)	18 3/4"(476)	18 3/4"(476)
	18"(457)	18"(457)	18"(457)	18"(457)	18"(457)	18"(457)	18"(457)
	12 15/32"(317)	12 15/32"(317)	12 15/32"(317)	12 15/32"(317)	12 15/32"(317)	12 15/32"(317)	12 15/32"(317)
	CWA1818	CWA2018	CWA2418	CWA2818	CWA3018	CWA3218	CWA3618
	23 11/32"(693)	23 11/32"(693)	23 11/32"(693)	23 11/32"(693)	23 11/32"(693)	23 11/32"(693)	23 11/32"(693)
	24 7/8"(632)	24 7/8"(632)	24 7/8"(632)	24 7/8"(632)	24 7/8"(632)	24 7/8"(632)	24 7/8"(632)
	20 3/4"(527)	20 3/4"(527)	20 3/4"(527)	20 3/4"(527)	20 3/4"(527)	20 3/4"(527)	20 3/4"(527)
	20"(508)	20"(508)	20"(508)	20"(508)	20"(508)	20"(508)	20"(508)
	14 19/32"(368)	14 19/32"(368)	14 19/32"(368)	14 19/32"(368)	14 19/32"(368)	14 19/32"(368)	14 19/32"(368)
	CWA1820	CWA2020	CWA2420	CWA2820	CWA3020	CWA3220	CWA3620
	27 11/32"(695)	27 11/32"(695)	27 11/32"(695)	27 11/32"(695)	27 11/32"(695)	27 11/32"(695)	27 11/32"(695)
	28 7/8"(733)	28 7/8"(733)	28 7/8"(733)	28 7/8"(733)	28 7/8"(733)	28 7/8"(733)	28 7/8"(733)
	24 3/4"(629)	24 3/4"(629)	24 3/4"(629)	24 3/4"(629)	24 3/4"(629)	24 3/4"(629)	24 3/4"(629)
	24"(610)	24"(610)	24"(610)	24"(610)	24"(610)	24"(610)	24"(610)
	18 15/32"(469)	18 15/32"(469)	18 15/32"(469)	18 15/32"(469)	18 15/32"(469)	18 15/32"(469)	18 15/32"(469)
	CWA1824	CWA2024	CWA2424	CWA2824	CWA3024	CWA3224	CWA3624
	31 11/32"(796)	31 11/32"(796)	31 11/32"(796)	31 11/32"(796)	31 11/32"(796)	31 11/32"(796)	31 11/32"(796)
	32 7/8"(835)	32 7/8"(835)	32 7/8"(835)	32 7/8"(835)	32 7/8"(835)	32 7/8"(835)	32 7/8"(835)
	28 3/4"(730)	28 3/4"(730)	28 3/4"(730)	28 3/4"(730)	28 3/4"(730)	28 3/4"(730)	28 3/4"(730)
	28"(711)	28"(711)	28"(711)	28"(711)	28"(711)	28"(711)	28"(711)
	22 15/32"(571)	22 15/32"(571)	22 15/32"(571)	22 15/32"(571)	22 15/32"(571)	22 15/32"(571)	22 15/32"(571)
	CWA1828	CWA2028	CWA2428	CWA2828	CWA3028	CWA3228	CWA3628
	33 11/32"(847)	33 11/32"(847)	33 11/32"(847)	33 11/32"(847)	33 11/32"(847)	33 11/32"(847)	33 11/32"(847)
	34 7/8"(886)	34 7/8"(886)	34 7/8"(886)	34 7/8"(886)	34 7/8"(886)	34 7/8"(886)	34 7/8"(886)
	30 3/4"(781)	30 3/4"(781)	30 3/4"(781)	30 3/4"(781)	30 3/4"(781)	30 3/4"(781)	30 3/4"(781)
	30"(762)	30"(762)	30"(762)	30"(762)	30"(762)	30"(762)	30"(762)
	24 19/32"(622)	24 19/32"(622)	24 19/32"(622)	24 19/32"(622)	24 19/32"(622)	24 19/32"(622)	24 19/32"(622)
	CWA1830	CWA2030	CWA2430	CWA2830	CWA3030	CWA3230	CWA3630
	35 11/32"(899)	35 11/32"(899)	35 11/32"(899)	35 11/32"(899)	35 11/32"(899)	35 11/32"(899)	35 11/32"(899)
	36 7/8"(937)	36 7/8"(937)	36 7/8"(937)	36 7/8"(937)	36 7/8"(937)	36 7/8"(937)	36 7/8"(937)
	32 3/4"(832)	32 3/4"(832)	32 3/4"(832)	32 3/4"(832)	32 3/4"(832)	32 3/4"(832)	32 3/4"(832)
	32"(813)	32"(813)	32"(813)	32"(813)	32"(813)	32"(813)	32"(813)
	26 15/32"(672)	26 15/32"(672)	26 15/32"(672)	26 15/32"(672)	26 15/32"(672)	26 15/32"(672)	26 15/32"(672)
	CWA1832	CWA2032	CWA2432	CWA2832	CWA3032	CWA3232	CWA3632
	39 11/32"(999)	39 11/32"(999)	39 11/32"(999)	39 11/32"(999)	39 11/32"(999)	39 11/32"(999)	39 11/32"(999)
	40 7/8"(1038)	40 7/8"(1038)	40 7/8"(1038)	40 7/8"(1038)	40 7/8"(1038)	40 7/8"(1038)	40 7/8"(1038)
	36 3/4"(933)	36 3/4"(933)	36 3/4"(933)	36 3/4"(933)	36 3/4"(933)	36 3/4"(933)	36 3/4"(933)
	36"(914)	36"(914)	36"(914)	36"(914)	36"(914)	36"(914)	36"(914)
	30 15/32"(774)	30 15/32"(774)	30 15/32"(774)	30 15/32"(774)	30 15/32"(774)	30 15/32"(774)	30 15/32"(774)
	CWA1836	CWA2036	CWA2436	CWA2836	CWA3036	CWA3236	CWA3636
	43 11/32"(1101)	43 11/32"(1101)	43 11/32"(1101)	43 11/32"(1101)	43 11/32"(1101)	43 11/32"(1101)	43 11/32"(1101)
	44 7/8"(1140)	44 7/8"(1140)	44 7/8"(1140)	44 7/8"(1140)	44 7/8"(1140)	44 7/8"(1140)	44 7/8"(1140)
	40 3/4"(1035)	40 3/4"(1035)	40 3/4"(1035)	40 3/4"(1035)	40 3/4"(1035)	40 3/4"(1035)	40 3/4"(1035)
	40"(1016)	40"(1016)	40"(1016)	40"(1016)	40"(1016)	40"(1016)	40"(1016)
	34 15/32"(876)	34 15/32"(876)	34 15/32"(876)	34 15/32"(876)	34 15/32"(876)	34 15/32"(876)	34 15/32"(876)
	CWA1840	CWA2040	CWA2440	CWA2840	CWA3040	CWA3240	CWA3640

ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS
NUMBER INDICATES PERFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING



PICTURE UNITS

	21 1/4"(540)	23 1/4"(591)	27 1/4"(692)	31 1/4"(794)	33 1/4"(845)	35 1/4"(895)	39 1/4"(997)
MO BRICKMOLD	21 1/4"(540)	23 1/4"(591)	27 1/4"(692)	31 1/4"(794)	33 1/4"(845)	35 1/4"(895)	39 1/4"(997)
MO FLAT CASING	24 5/16"(618)	26 5/16"(668)	30 5/16"(770)	34 5/16"(872)	36 5/16"(922)	38 5/16"(973)	42 5/16"(1075)
ROUGH OPENING	18 3/4"(476)	20 3/4"(527)	24 3/4"(629)	28 3/4"(730)	30 3/4"(781)	32 3/4"(832)	36 3/4"(933)
FRAME SIZE	18"(457)	20"(508)	24"(610)	28"(711)	30"(762)	32"(813)	36"(914)
DAYLIGHT OPENING	13 1/16"(332)	15 1/16"(383)	19 1/16"(484)	23 1/16"(586)	25 1/16"(637)	27 1/16"(687)	31 1/16"(789)

45 1 1/32"(1152)								
	CWA1842	CWA2042	CWA2442	CWA2842	CWA3042	CWA3242	CWA3642	
	46 7/8"(1191)							
		CWA1848	CWA2048	CWA2448	CWA2848	CWA3048	CWA3248	CWA3648

ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS
NUMBER INDICATES PREFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING



PICTURE UNITS

	43 1/4"(1099)	45 1/4"(1149)	51 1/4"(1302)	57 1/4"(1454)	59 1/4"(1505)
MO BRICKMOLD	46 5/16"(1176)	48 5/16"(1227)	54 5/16"(1380)	60 5/16"(1532)	62 5/16"(1583)
MO FLAT CASING	40 3/4"(1035)	42 3/4"(1086)	48 3/4"(1238)	54 3/4"(1391)	56 3/4"(1441)
ROUGH OPENING	40"(1016)	42"(1067)	48"(1219)	54"(1372)	56"(1422)
FRAME SIZE	35 1/16"(891)	37 1/16"(941)	43 1/16"(1094)	49 1/16"(1246)	51 1/16"(1297)
DAYLIGHT OPENING	17 11/32"(441)	18 7/8"(479)	18 7/8"(479)	18 7/8"(479)	18 7/8"(479)
	18 7/8"(479)	18 7/8"(479)	18 7/8"(479)	18 7/8"(479)	18 7/8"(479)
	14 3/4"(375)	14 3/4"(375)	14 3/4"(375)	14 3/4"(375)	14 3/4"(375)
	14"(356)	14"(356)	14"(356)	14"(356)	14"(356)
	8 15/32"(215)	8 15/32"(215)	8 15/32"(215)	8 15/32"(215)	8 15/32"(215)
	21 11/32"(542)	22 7/8"(581)	22 7/8"(581)	22 7/8"(581)	22 7/8"(581)
	18 3/4"(476)	18 3/4"(476)	18 3/4"(476)	18 3/4"(476)	18 3/4"(476)
	18"(467)	18"(467)	18"(467)	18"(467)	18"(467)
	12 15/32"(317)	12 15/32"(317)	12 15/32"(317)	12 15/32"(317)	12 15/32"(317)
	23 11/32"(593)	24 7/8"(632)	24 7/8"(632)	24 7/8"(632)	24 7/8"(632)
	20 3/4"(527)	20 3/4"(527)	20 3/4"(527)	20 3/4"(527)	20 3/4"(527)
	20"(508)	20"(508)	20"(508)	20"(508)	20"(508)
	14 15/32"(368)	14 15/32"(368)	14 15/32"(368)	14 15/32"(368)	14 15/32"(368)
	27 11/32"(685)	28 7/8"(733)	28 7/8"(733)	28 7/8"(733)	28 7/8"(733)
	24 3/4"(629)	24 3/4"(629)	24 3/4"(629)	24 3/4"(629)	24 3/4"(629)
	24"(610)	24"(610)	24"(610)	24"(610)	24"(610)
	18 15/32"(469)	18 15/32"(469)	18 15/32"(469)	18 15/32"(469)	18 15/32"(469)
	31 11/32"(796)	32 7/8"(835)	32 7/8"(835)	32 7/8"(835)	32 7/8"(835)
	28 3/4"(730)	28 3/4"(730)	28 3/4"(730)	28 3/4"(730)	28 3/4"(730)
	28"(711)	28"(711)	28"(711)	28"(711)	28"(711)
	22 15/32"(571)	22 15/32"(571)	22 15/32"(571)	22 15/32"(571)	22 15/32"(571)
	33 11/32"(847)	34 7/8"(886)	34 7/8"(886)	34 7/8"(886)	34 7/8"(886)
	30 3/4"(781)	30 3/4"(781)	30 3/4"(781)	30 3/4"(781)	30 3/4"(781)
	30"(762)	30"(762)	30"(762)	30"(762)	30"(762)
	24 15/32"(622)	24 15/32"(622)	24 15/32"(622)	24 15/32"(622)	24 15/32"(622)
	CWA4014	CWA4214	CWA4814	CWA5414	CWA5614
	CWA4018	CWA4218	CWA4818	CWA5418	CWA5618
	CWA4020	CWA4220	CWA4820	CWA5420	CWA5620
	CWA4024	CWA4224	CWA4824	CWA5424	CWA5624
	CWA4028	CWA4228	CWA4828	CWA5428	CWA5628
	CWA4030	CWA4230	CWA4830	CWA5430	CWA5630

ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS
NUMBER INDICATES PERFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING












PICTURE UNITS

	43 1/4"(1099)	45 1/4"(1149)	51 1/4"(1302)	57 1/4"(1454)	59 1/4"(1505)
MO BRICKMOLD	43 1/4"(1099)	45 1/4"(1149)	51 1/4"(1302)	57 1/4"(1454)	59 1/4"(1505)
MO FLAT CASING	46 5/16"(1176)	48 5/16"(1227)	54 5/16"(1380)	60 5/16"(1532)	62 5/16"(1583)
ROUGH OPENING	40 3/4"(1035)	42 3/4"(1086)	48 3/4"(1238)	54 3/4"(1391)	56 3/4"(1441)
FRAME SIZE	40"(1016)	42"(1067)	48"(1219)	54"(1372)	56"(1422)
DAYLIGHT OPENING	35 1/16"(891)	37 1/16"(941)	43 1/16"(1094)	49 1/16"(1246)	51 1/16"(1297)
35 11/32"(898)					
36 7/8"(937)	CWA4032	CWA4232	CWA4832	CWA5432	CWA5632
32 3/4"(832)					
32"(813)					
26 15/32"(672)					
39 11/32"(989)					
40 7/8"(1038)	CWA4036	CWA4236	CWA4836	CWA5436	CWA5636
36 3/4"(933)					
36"(914)					
30 15/32"(774)					
43 11/32"(1101)					
44 7/8"(1140)	CWA4040	CWA4240	CWA4840	CWA5440	CWA5640
40 3/4"(1035)					
40"(1016)					
34 15/32"(876)					
45 11/32"(1152)					
46 7/8"(1191)	CWA4042	CWA4242	CWA4842	CWA5442	CWA5642
42 3/4"(1086)					
42"(1067)					
36 15/32"(926)					
51 11/32"(1304)					
52 7/8"(1343)	CWA4048	CWA4248	CWA4848	CWA5448	CWA5648
48 3/4"(1238)					
48"(1219)					
42 15/32"(1079)					

ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS
NUMBER INDICATES PREFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING



PICTURE UNITS

	63 1/4"(1607)	69 1/4"(1759)	75 1/4"(1911)
MO BRICKMOLD	66 5/16"(1684)	72 5/16"(1837)	78 5/16"(1989)
MO FLAT CASING	60 3/4"(1543)	66 3/4"(1695)	72 3/4"(1848)
ROUGH OPENING	60"(1524)	66"(1676)	72"(1829)
FRAME SIZE	55 1/16"(1399)	61 1/16"(1551)	67 1/16"(1703)
DAYLIGHT OPENING			
17 11/32"(441)			
18 7/8"(479)	CWA6014	CWA6614	CWA7214
14 3/4"(375)			
14"(356)			
8 15/32"(215)	CWA6018	CWA6618	CWA7218
21 11/32"(542)			
22 7/8"(581)			
18 3/4"(476)	CWA6020	CWA6620	CWA7220
18"(467)			
12 15/32"(317)			
23 11/32"(593)			
24 7/8"(632)			
20 3/4"(527)			
20"(508)			
14 15/32"(368)			

ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS
NUMBER INDICATES PREFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING



PICTURE UNITS

MO BRICKMOLD
MO FLAT CASING
ROUGH OPENING
FRAME SIZE
DAYLIGHT OPENING

63 1/4"(1607)
66 5/16"(1684)
60 3/4"(1543)
60"(1524)
55 1/16"(1399)

69 1/4"(1759)
72 5/16"(1837)
66 3/4"(1695)
66"(1676)
61 1/16"(1551)

75 1/4"(1911)
78 5/16"(1989)
72 3/4"(1848)
72"(1829)
67 1/16"(1703)

27 11/32(695)
28 7/8(733)
24 3/4(629)
24(610)
18 15/32(469)



CWA6024



CWA6624



CWA7224

31 11/32(796)
32 7/8(835)
28 3/4(730)
28(711)
22 15/32(571)



CWA6028




CWA6628



CWA7228


33 11/32(847)
34 7/8(886)
30 3/4(781)
30(762)
24 15/32(622)



CWA6030




CWA6630




CWA7230


35 11/32(898)
36 7/8(937)
32 3/4(832)
32(813)
26 15/32(672)



CWA6032




CWA6632



CWA7232

39 11/32(999)
40 7/8(1038)
36 3/4(933)
36(914)
30 15/32(774)



CWA6036



CWA6636



CWA7236

43 11/32(1101)
44 7/8(1140)
40 3/4(1035)
40(1016)
34 15/32(876)



CWA6040




CWA6640



CWA7240

45 11/32(1152)
46 7/8(1191)
42 3/4(1086)
42(1067)
36 15/32(926)



CWA6042




CWA6642



CWA7242

51 11/32(1304)
52 7/8(1343)
48 3/4(1238)
48(1219)
42 15/32(1079)



CWA6048



CWA6648



CWA7248

ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS
NUMBER INDICATES PREFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING



TWIN UNITS

	39 1/4"(997)	43 1/4"(1099)	51 1/4"(1302)	59 1/4"(1505)	63 1/4"(1607)	67 1/4"(1708)
MO BRICKMOLD	42 5/16"(1075)	46 5/16"(1176)	54 5/16"(1380)	62 5/16"(1583)	66 5/16"(1684)	70 5/16"(1786)
MO FLAT CASING	36 3/4"(933)	40 3/4"(1035)	48 3/4"(1238)	56 3/4"(1441)	60 3/4"(1543)	64 3/4"(1645)
ROUGH OPENING	36"(914)	40"(1016)	48"(1219)	56"(1422)	60"(1524)	64"(1626)
FRAME SIZE	13 1/16"(332) [2]	15 1/16"(383) [2]	19 1/16"(484) [2]	23 1/16"(586) [2]	25 1/16"(637) [2]	27 1/16"(687) [2]
DAYLIGHT OPENING	17 11/32"(441)	17 11/32"(441)	17 11/32"(441)	17 11/32"(441)	17 11/32"(441)	17 11/32"(441)
	18 7/8"(479)	18 7/8"(479)	18 7/8"(479)	18 7/8"(479)	18 7/8"(479)	18 7/8"(479)
	14 3/4"(376)	14 3/4"(376)	14 3/4"(376)	14 3/4"(376)	14 3/4"(376)	14 3/4"(376)
	14"(356)	14"(356)	14"(356)	14"(356)	14"(356)	14"(356)
	8 15/32"(215)	8 15/32"(215)	8 15/32"(215)	8 15/32"(215)	8 15/32"(215)	8 15/32"(215)
	21 11/32"(542)	21 11/32"(542)	21 11/32"(542)	21 11/32"(542)	21 11/32"(542)	21 11/32"(542)
	22 7/8"(581)	22 7/8"(581)	22 7/8"(581)	22 7/8"(581)	22 7/8"(581)	22 7/8"(581)
	18 3/4"(476)	18 3/4"(476)	18 3/4"(476)	18 3/4"(476)	18 3/4"(476)	18 3/4"(476)
	18"(467)	18"(467)	18"(467)	18"(467)	18"(467)	18"(467)
	12 15/32"(317)	12 15/32"(317)	12 15/32"(317)	12 15/32"(317)	12 15/32"(317)	12 15/32"(317)
	23 11/32"(593)	23 11/32"(593)	23 11/32"(593)	23 11/32"(593)	23 11/32"(593)	23 11/32"(593)
	24 7/8"(632)	24 7/8"(632)	24 7/8"(632)	24 7/8"(632)	24 7/8"(632)	24 7/8"(632)
	20 3/4"(527)	20 3/4"(527)	20 3/4"(527)	20 3/4"(527)	20 3/4"(527)	20 3/4"(527)
	20"(508)	20"(508)	20"(508)	20"(508)	20"(508)	20"(508)
	14 15/32"(368)	14 15/32"(368)	14 15/32"(368)	14 15/32"(368)	14 15/32"(368)	14 15/32"(368)
	27 11/32"(695)	27 11/32"(695)	27 11/32"(695)	27 11/32"(695)	27 11/32"(695)	27 11/32"(695)
	28 7/8"(733)	28 7/8"(733)	28 7/8"(733)	28 7/8"(733)	28 7/8"(733)	28 7/8"(733)
	24 3/4"(629)	24 3/4"(629)	24 3/4"(629)	24 3/4"(629)	24 3/4"(629)	24 3/4"(629)
	24 1/2"(610)	24 1/2"(610)	24 1/2"(610)	24 1/2"(610)	24 1/2"(610)	24 1/2"(610)
	18 15/32"(469)	18 15/32"(469)	18 15/32"(469)	18 15/32"(469)	18 15/32"(469)	18 15/32"(469)
	31 11/32"(796)	31 11/32"(796)	31 11/32"(796)	31 11/32"(796)	31 11/32"(796)	31 11/32"(796)
	32 7/8"(835)	32 7/8"(835)	32 7/8"(835)	32 7/8"(835)	32 7/8"(835)	32 7/8"(835)
	28 3/4"(730)	28 3/4"(730)	28 3/4"(730)	28 3/4"(730)	28 3/4"(730)	28 3/4"(730)
	28 1/2"(711)	28 1/2"(711)	28 1/2"(711)	28 1/2"(711)	28 1/2"(711)	28 1/2"(711)
	22 15/32"(571)	22 15/32"(571)	22 15/32"(571)	22 15/32"(571)	22 15/32"(571)	22 15/32"(571)
	33 11/32"(847)	33 11/32"(847)	33 11/32"(847)	33 11/32"(847)	33 11/32"(847)	33 11/32"(847)
	34 7/8"(886)	34 7/8"(886)	34 7/8"(886)	34 7/8"(886)	34 7/8"(886)	34 7/8"(886)
	30 3/4"(781)	30 3/4"(781)	30 3/4"(781)	30 3/4"(781)	30 3/4"(781)	30 3/4"(781)
	30 7/8"(762)	30 7/8"(762)	30 7/8"(762)	30 7/8"(762)	30 7/8"(762)	30 7/8"(762)
	24 15/32"(622)	24 15/32"(622)	24 15/32"(622)	24 15/32"(622)	24 15/32"(622)	24 15/32"(622)
	35 11/32"(888)	35 11/32"(888)	35 11/32"(888)	35 11/32"(888)	35 11/32"(888)	35 11/32"(888)
	36 7/8"(927)	36 7/8"(927)	36 7/8"(927)	36 7/8"(927)	36 7/8"(927)	36 7/8"(927)
	32 3/4"(832)	32 3/4"(832)	32 3/4"(832)	32 3/4"(832)	32 3/4"(832)	32 3/4"(832)
	32 1/8"(813)	32 1/8"(813)	32 1/8"(813)	32 1/8"(813)	32 1/8"(813)	32 1/8"(813)
	26 15/32"(672)	26 15/32"(672)	26 15/32"(672)	26 15/32"(672)	26 15/32"(672)	26 15/32"(672)
	39 11/32"(989)	39 11/32"(989)	39 11/32"(989)	39 11/32"(989)	39 11/32"(989)	39 11/32"(989)
	40 7/8"(1038)	40 7/8"(1038)	40 7/8"(1038)	40 7/8"(1038)	40 7/8"(1038)	40 7/8"(1038)
	36 3/4"(933)	36 3/4"(933)	36 3/4"(933)	36 3/4"(933)	36 3/4"(933)	36 3/4"(933)
	36 1/4"(914)	36 1/4"(914)	36 1/4"(914)	36 1/4"(914)	36 1/4"(914)	36 1/4"(914)
	30 15/32"(774)	30 15/32"(774)	30 15/32"(774)	30 15/32"(774)	30 15/32"(774)	30 15/32"(774)
	43 11/32"(1101)	43 11/32"(1101)	43 11/32"(1101)	43 11/32"(1101)	43 11/32"(1101)	43 11/32"(1101)
	44 7/8"(1140)	44 7/8"(1140)	44 7/8"(1140)	44 7/8"(1140)	44 7/8"(1140)	44 7/8"(1140)
	40 3/4"(1035)	40 3/4"(1035)	40 3/4"(1035)	40 3/4"(1035)	40 3/4"(1035)	40 3/4"(1035)
	40 1/2"(1016)	40 1/2"(1016)	40 1/2"(1016)	40 1/2"(1016)	40 1/2"(1016)	40 1/2"(1016)
	34 15/32"(876)	34 15/32"(876)	34 15/32"(876)	34 15/32"(876)	34 15/32"(876)	34 15/32"(876)
	45 11/32"(1152)	45 11/32"(1152)	45 11/32"(1152)	45 11/32"(1152)	45 11/32"(1152)	45 11/32"(1152)
	46 7/8"(1191)	46 7/8"(1191)	46 7/8"(1191)	46 7/8"(1191)	46 7/8"(1191)	46 7/8"(1191)
	42 3/4"(1086)	42 3/4"(1086)	42 3/4"(1086)	42 3/4"(1086)	42 3/4"(1086)	42 3/4"(1086)
	42 1/8"(1067)	42 1/8"(1067)	42 1/8"(1067)	42 1/8"(1067)	42 1/8"(1067)	42 1/8"(1067)
	36 15/32"(926)	36 15/32"(926)	36 15/32"(926)	36 15/32"(926)	36 15/32"(926)	36 15/32"(926)
	51 11/32"(1304)	51 11/32"(1304)	51 11/32"(1304)	51 11/32"(1304)	51 11/32"(1304)	51 11/32"(1304)
	52 7/8"(1343)	52 7/8"(1343)	52 7/8"(1343)	52 7/8"(1343)	52 7/8"(1343)	52 7/8"(1343)
	48 3/4"(1238)	48 3/4"(1238)	48 3/4"(1238)	48 3/4"(1238)	48 3/4"(1238)	48 3/4"(1238)
	48 1/2"(1219)	48 1/2"(1219)	48 1/2"(1219)	48 1/2"(1219)	48 1/2"(1219)	48 1/2"(1219)
	42 15/32"(1079)	42 15/32"(1079)	42 15/32"(1079)	42 15/32"(1079)	42 15/32"(1079)	42 15/32"(1079)

ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS



TWIN UNITS

MO BRICKMOLD	75 1/4"(1911)	83 1/4"(2115)	87 1/4"(2216)	99 1/4"(2521)
MO FLAT CASING	78 5/16"(1989)	86 5/16"(2192)	90 5/16"(2294)	102 5/16"(2599)
ROUGH OPENING	72 3/4"(1848)	80 3/4"(2051)	84 3/4"(2153)	96 3/4"(2457)
FRAME SIZE	72"(1829)	80"(2032)	84"(2134)	96"(2438)
DAYLIGHT OPENING	31 1/16"(789) [2]	35 1/16"(789) [2]	37 1/16"(941) [2]	43 1/16"(1094) [2]
17 11/32"(441)				
17 11/32"(441)	CWA3614-2	CWA4014-2	CWA4214-2	CWA4814-2
18 7/8"(479)				
18 7/8"(479)	CWA3618-2	CWA4018-2	CWA4218-2	CWA4818-2
14 3/4"(375)				
14 3/4"(375)	CWA3620-2	CWA4020-2	CWA4220-2	CWA4820-2
14"(356)				
14"(356)	CWA3624-2	CWA4024-2	CWA4224-2	CWA4824-2
20 5/8"(527)				
20 5/8"(527)	CWA3628-2	CWA4028-2	CWA4228-2	CWA4828-2
18"(467)				
18"(467)	CWA3630-2	CWA4030-2	CWA4230-2	CWA4830-2
20 1/2"(518)				
20 1/2"(518)	CWA3632-2	CWA4032-2	CWA4232-2	CWA4832-2
24 1/2"(619)				
24 1/2"(619)	CWA3636-2	CWA4036-2	CWA4236-2	CWA4836-2
24 1/2"(619)				
24 1/2"(619)	CWA3640-2	CWA4040-2	CWA4240-2	CWA4840-2
20 1/2"(518)				
20 1/2"(518)	CWA3642-2	CWA4042-2	CWA4242-2	CWA4842-2
48 1/2"(1219)				
48 1/2"(1219)	CWA3648-2	CWA4048-2	CWA4248-2	CWA4848-2

ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS



2 HIGH UNITS

	33 1/4"(845)	35 1/4"(895)	39 1/4"(997)	43 1/4"(1099)	45 1/4"(1149)	51 1/4"(1302)
MO BRICKMOLD	33 5/16"(822)	38 5/16"(973)	42 5/16"(1075)	46 5/16"(1176)	48 5/16"(1227)	54 5/16"(1380)
MO FLAT CASING	30 3/4"(781)	32 3/4"(832)	36 3/4"(933)	40 3/4"(1035)	42 3/4"(1086)	48 3/4"(1238)
ROUGH OPENING	30"(762)	32"(813)	36"(914)	40"(1016)	42"(1067)	48"(1219)
FRAME SIZE	25 1/16"(637)	27 1/16"(687)	31 1/16"(789)	35 1/16"(891)	37 1/16"(941)	43 1/16"(1094)
DAYLIGHT OPENING						
39 11/32"(796)						
40 7/8"(1038)						
36 3/4"(933)						
36"(914)						
12 15/32"(215) [2]						
43 11/32"(1101)						
44 7/8"(1140)						
40 3/4"(1035)						
40"(1016)						
14 15/32"(368) [2]						
51 11/32"(1304)						
52 7/8"(1343)						
48 3/4"(1238)						
48"(1219)						
18 15/32"(469) [2]						
59 11/32"(1507)						
60 7/8"(1546)						
56 3/4"(1441)						
56"(1422)						
22 15/32"(571) [2]						
63 11/32"(1609)						
64 7/8"(1648)						
60 3/4"(1543)						
60"(1524)						
24 15/32"(622) [2]						
67 11/32"(1711)						
68 7/8"(1749)						
64 3/4"(1645)						
64"(1626)						
26 15/32"(672) [2]						
75 11/32"(1914)						
76 7/8"(1953)						
72 3/4"(1848)						
72"(1829)						
30 15/32"(774) [2]						
83 11/32"(2117)						
84 7/8"(2156)						
80 3/4"(2051)						
80"(2032)						
34 15/32"(876) [2]						


ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS



2 HIGH UNITS


MO BRICKMOLD	33 1/4"(845)	35 1/4"(895)	39 1/4"(997)	43 1/4"(1099)	45 1/4"(1149)	51 1/4"(1302)
MO FLAT CASING	36 5/16"(922)	38 5/16"(973)	42 5/16"(1075)	46 5/16"(1176)	48 5/16"(1227)	54 5/16"(1380)
ROUGH OPENING	30 3/4"(781)	32 3/4"(832)	36 3/4"(933)	40 3/4"(1035)	42 3/4"(1086)	48 3/4"(1238)
FRAME SIZE	30"(762)	32"(813)	36"(914)	40"(1016)	42"(1067)	48"(1219)
DAYLIGHT OPENING	25 1/16"(637)	27 1/16"(687)	31 1/16"(789)	35 1/16"(891)	37 1/16"(941)	43 1/16"(1094)

87 11/32"(2219)
88 7/8"(2257)
84 3/4"(2153)
84"(2134)
36 15/32"(926) [2]



CWA3042-12 CWA3242-12 CWA3642-12 CWA4042-12 CWA4242-12 CWA4842-12

99 11/32"(2523)
100 7/8"(2562)
96 3/4"(2457)
96"(2438)
42 15/32"(1079) [2]



CWA3048-12 CWA3248-12 CWA3632-12 CWA4048-12 CWA4248-12 CWA4848-12

ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS



2 WIDE 2 HIGH UNITS

MO BRICKMOLD MO FLAT CASING ROUGH OPENING FRAME SIZE DAYLIGHT OPENING	63 1/4"(1607) 66 5/16"(1684) 60 3/4"(1543) 60"(1524) 25 1/16"(637) [2]	67 1/4"(1708) 70 5/16"(1786) 64 3/4"(1645) 64"(1626) 27 1/16"(687) [2]	75 1/4"(1911) 78 5/16"(1989) 72 3/4"(1848) 72"(1829) 31 1/16"(789) [2]	83 1/4"(2115) 86 5/16"(2192) 80 3/4"(2051) 80"(2032) 35 1/16"(789) [2]	87 1/4"(2216) 90 5/16"(2294) 84 3/4"(2153) 84"(2134) 37 1/16"(941) [2]	87 1/4"(2216) 90 5/16"(2294) 84 3/4"(2051) 84"(2134) 13 1/16"(332) [2]
39 11/32"(796) 40 7/8"(1038) 36 3/4"(933) 36"(914) 12 15/32"(215) [2]						
43 11/32"(1101) 44 7/8"(1140) 40 3/4"(1035) 40"(1016) 14 15/32"(368) [2]						
51 11/32"(1304) 52 7/8"(1343) 48 3/4"(1238) 48"(1219) 18 15/32"(469) [2]						
59 11/32"(1507) 60 7/8"(1546) 56 3/4"(1441) 56"(1422) 22 15/32"(571) [2]						
63 11/32"(1609) 64 7/8"(1648) 60 3/4"(1543) 60"(1524) 24 15/32"(622) [2]						
67 11/32"(1711) 68 7/8"(1749) 64 3/4"(1645) 64"(1626) 26 15/32"(672) [2]						
75 11/32"(1914) 76 7/8"(1953) 72 3/4"(1848) 72"(1829) 30 15/32"(774) [2]						
83 11/32"(2117) 84 7/8"(2156) 80 3/4"(2051) 80"(2032) 34 15/32"(876) [2]						


ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS




2 WIDE 2 HIGH UNITS

MO BRICKMOLD	63 1/4"(1607)	67 1/4"(1708)	75 1/4"(1911)	83 1/4"(2115)	87 1/4"(2216)	87 1/4"(2216)
MO FLAT CASING	66 5/16"(1684)	70 5/16"(1786)	78 5/16"(1989)	86 5/16"(2192)	90 5/16"(2294)	90 5/16"(2294)
ROUGH OPENING	60 3/4"(1543)	64 3/4"(1645)	72 3/4"(1848)	80 3/4"(2051)	84 3/4"(2153)	84 3/4"(2051)
FRAME SIZE	60"(1524)	64"(1626)	72"(1829)	80"(2032)	84"(2134)	84"(2134)
DAYLIGHT OPENING	25 1/16"(637) [2]	27 1/16"(687) [2]	31 1/16"(789) [2]	35 1/16"(789) [2]	37 1/16"(941) [2]	13 1/16"(332) [2]


87 11/32"(2219)
88 7/8"(2257)
84 3/4"(2153)
84 (2134)
36 15/32"(926) [2]




CWA3042-22




CWA3242-22




CWA3642-22



CWA4042-22




CWA4242-22




CWA4842-22


99 11/32"(2523)
100 7/8"(2562)
96 3/4"(2457)
96 (2438)
42 15/32"(1079) [2]




CWA3048-22




CWA3248-22




CWA3648-22



CWA4048-22



CWA4248-22



CWA4848-22

ELEVATION SYMBOL LEGEND:


M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS




30" WIDE WBAP COMBO UNITS

MO BRICKMOLD	33 1/4"(845)	63 1/4"(1607)
MO FLAT CASING	36 5/16"(922)	66 5/16"(1684)
ROUGH OPENING	30 3/4"(781)	60 3/4"(1543)
FRAME SIZE	30"(762)	60"(1524)
DAYLIGHT OPENING	25 1/16"(637)	25 1/16"(637) [2]

57 11/32"(1457)
58 7/8"(1495)
54 3/4"(1391)
54"(1372)
30 15/32"(774) [1]
12 15/32"(317) [1]




CWAP303618




CWAP303618-2

59 11/32"(1507)
60 7/8"(1546)
56 3/4"(1441)
56"(1422)
30 15/32"(774) [1]
14 15/32"(388) [1]




CWAP303620




CWAP303620-2

63 11/32"(1609)
64 7/8"(1648)
60 3/4"(1543)
60"(1524)
30 15/32"(774) [1]
18 15/32"(489) [1]




CWAP303624




CWAP303624-2

67 11/32"(1711)
68 7/8"(1749)
64 3/4"(1645)
64"(1626)
30 15/32"(774) [1]
22 15/32"(571) [1]



CWAP303628




CWAP303628-2

69 11/32"(1761)
70 7/8"(1800)
66 3/4"(1695)
66"(1676)
30 15/32"(774) [1]
24 15/32"(622) [1]



CWAP303630



CWAP303630-2


ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS




30" WIDE WBAP COMBO UNITS

MO BRICKMOLD	33 1/4"(845)	63 1/4"(1607)
MO FLAT CASING	36 5/16"(922)	66 5/16"(1684)
ROUGH OPENING	30 3/4"(781)	60 3/4"(1543)
FRAME SIZE	30"(762)	60"(1524)
DAYLIGHT OPENING	25 1/16"(637)	25 1/16"(637) [2]

61 11/32"(1558)
62 7/8"(1597)
58 3/4"(1492)
58"(1473)
34 15/32"(876) [1]
12 15/32"(317) [1]




CWAP304018




CWAP304018-2

63 11/32"(1609)
64 7/8"(1648)
60 3/4"(1543)
60"(1524)
34 15/32"(876) [1]
14 15/32"(368) [1]




CWAP304020




CWAP304020-2

67 11/32"(1711)
68 7/8"(1749)
64 3/4"(1645)
64"(1626)
34 15/32"(876) [1]
18 15/32"(469) [1]




CWAP304024




CWAP304024-2

71 11/32"(1812)
72 7/8"(1851)
68 3/4"(1746)
68"(1727)
34 15/32"(876) [1]
22 15/32"(571) [1]




CWAP304028




CWAP304028-2

73 11/32"(1863)
74 7/8"(1902)
70 3/4"(1797)
70"(1778)
34 15/32"(876) [1]
24 15/32"(622) [1]



CWAP304030



CWAP304030-2


ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS




30" WIDE WBAP COMBO UNITS

MO BRICKMOLD	33 1/4"(845)	63 1/4"(1607)
MO FLAT CASING	36 5/16"(922)	66 5/16"(1684)
ROUGH OPENING	30 3/4"(781)	60 3/4"(1543)
FRAME SIZE	30"(762)	60"(1524)
DAYLIGHT OPENING	25 1/16"(637)	25 1/16"(637) [2]

63 11/32"(1609)
64 7/8"(1648)
60 3/4"(1543)
36 15/32"(925)
36 15/32"(925) [1]
12 15/32"(377) [1]




CWAP304218




CWAP304218-2

65 11/32"(1660)
66 7/8"(1699)
62 3/4"(1594)
36 15/32"(926) [1]
14 15/32"(386) [1]




CWAP304220




CWAP304220-2

69 11/32"(1761)
70 7/8"(1800)
66 3/4"(1695)
36 15/32"(926) [1]
18 15/32"(468) [1]




CWAP304224




CWAP304224-2

73 11/32"(1863)
74 7/8"(1902)
70 3/4"(1797)
70 1/2"(1778)
36 15/32"(926) [1]
22 15/32"(571) [1]



CWAP304228




CWAP304228-2

75 11/32"(1914)
76 7/8"(1953)
72 3/4"(1848)
36 15/32"(926) [1]
24 15/32"(622) [1]



CWAP304230



CWAP304230-2


ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS




30" WIDE WBAP COMBO UNITS

MO BRICKMOLD	33 1/4"(845)	63 1/4"(1607)
MO FLAT CASING	36 5/16"(922)	66 5/16"(1684)
ROUGH OPENING	30 3/4"(781)	60 3/4"(1543)
FRAME SIZE	30"(762)	60"(1524)
DAYLIGHT OPENING	25 1/16"(637)	25 1/16"(637) [2]

69 11/32"(1761)
70 7/8"(1800)
66 3/4"(1695)
66"(1676)
42 15/32"(1079) [1]
12 15/32"(317) [1]




CWAP304818




CWAP304818-2

71 11/32"(1812)
72 7/8"(1851)
68 3/4"(1746)
68"(1727)
42 15/32"(1079) [1]
14 15/32"(368) [1]




CWAP304820




CWAP304820-2

75 11/32"(1914)
76 7/8"(1953)
72 3/4"(1848)
72"(1829)
42 15/32"(1079) [1]
18 15/32"(469) [1]




CWAP304824




CWAP304824-2

79 11/32"(2015)
80 7/8"(2054)
76 3/4"(1949)
76"(1930)
42 15/32"(1079) [1]
22 15/32"(571) [1]



CWAP304828




CWAP304828-2

81 11/32"(2066)
82 7/8"(2105)
78 3/4"(2000)
78"(1981)
42 15/32"(1079) [1]
24 15/32"(622) [1]



CWAP304830



CWAP304830-2


ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS




32" WIDE WBAP COMBO UNITS

MO BRICKMOLD	35 1/4"(895)	67 1/4"(1708)
MO FLAT CASING	38 5/16"(973)	70 5/16"(1786)
ROUGH OPENING	32 3/4"(832)	64 3/4"(1645)
FRAME SIZE	32"(813)	64"(1626)
DAYLIGHT OPENING	27 1/16"(687)	25 1/16"(637) [2]

57 11/32"(1457)
58 7/8"(1485)
54 3/4"(1391)
54"(1372)
30 15/32"(774) [1]
12 15/32"(317) [1]




CWAP323618




CWAP323618-2

59 11/32"(1507)
60 7/8"(1546)
56 3/4"(1441)
56"(1422)
30 15/32"(774) [1]
14 15/32"(368) [1]




CWAP323620



CWAP323620-2

63 11/32"(1609)
64 7/8"(1648)
60 3/4"(1543)
60"(1543)
30 15/32"(774) [1]
18 15/32"(469) [1]




CWAP323624




CWAP323624-2

67 11/32"(1711)
68 7/8"(1749)
64 3/4"(1645)
64"(1626)
30 15/32"(774) [1]
22 15/32"(571) [1]




CWAP323628




CWAP323628-2

69 11/32"(1761)
70 7/8"(1800)
66 3/4"(1695)
66"(1676)
30 15/32"(774) [1]
24 15/32"(622) [1]



CWAP323630



CWAP323630-2


ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS




32" WIDE WBAP COMBO UNITS

MO BRICKMOLD	35 1/4"(895)	67 1/4"(1708)
MO FLAT CASING	38 5/16"(973)	70 5/16"(1786)
ROUGH OPENING	32 3/4"(832)	64 3/4"(1645)
FRAME SIZE	32"(813)	64"(1626)
DAYLIGHT OPENING	27 1/16"(687)	25 1/16"(637) [2]

61 11/32"(1558)
62 7/8"(1597)
58 3/4"(1492)
56"(1473)
34 15/32"(876) [1]
12 15/32"(317) [1]




CWAP324018




CWAP324018-2

63 11/32"(1609)
64 7/8"(1648)
60 3/4"(1543)
60"(1524)
34 15/32"(876) [1]
14 15/32"(368) [1]




CWAP324020




CWAP304020-2

67 11/32"(1711)
68 7/8"(1749)
64 3/4"(1645)
64"(1626)
34 15/32"(876) [1]
18 15/32"(469) [1]




CWAP324024




CWAP324024-2

71 11/32"(1812)
72 7/8"(1851)
68 3/4"(1746)
68"(1727)
34 15/32"(876) [1]
22 15/32"(571) [1]




CWAP324028




CWAP324028-2

73 11/32"(1863)
74 7/8"(1902)
70 3/4"(1797)
70"(1778)
34 15/32"(876) [1]
24 15/32"(622) [1]



CWAP324030



CWAP324030-2



ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS




32" WIDE WBAP COMBO UNITS

MO BRICKMOLD	35 1/4"(895)	67 1/4"(1708)
MO FLAT CASING	38 5/16"(973)	70 5/16"(1786)
ROUGH OPENING	32 3/4"(832)	64 3/4"(1645)
FRAME SIZE	32"(813)	64"(1626)
DAYLIGHT OPENING	27 1/16"(687)	25 1/16"(637) [2]



63 11/32"(1609)
64 7/8"(1649)
60 3/4"(1543)
60"(1524)
36 15/32"(926) [1]
12 15/32"(317) [1]





65 11/32"(1660)
66 7/8"(1699)
62 3/4"(1594)
62"(1575)
36 15/32"(926) [1]
14 15/32"(368) [1]





69 11/32"(1761)
70 7/8"(1800)
66 3/4"(1695)
66"(1676)
36 15/32"(926) [1]
18 15/32"(469) [1]



73 11/32"(1863)
74 7/8"(1902)
70 3/4"(1797)
70"(1778)
36 15/32"(926) [1]
22 15/32"(571) [1]



75 11/32"(1914)
76 7/8"(1953)
72 3/4"(1848)
72"(1829)
36 15/32"(926) [1]
24 15/32"(622) [1]




ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS




32" WIDE WBAP COMBO UNITS

MO BRICKMOLD	35 1/4"(895)	67 1/4"(1708)
MO FLAT CASING	38 5/16"(973)	70 5/16"(1786)
ROUGH OPENING	32 3/4"(832)	64 3/4"(1645)
FRAME SIZE	32"(813)	64"(1626)
DAYLIGHT OPENING	27 1/16"(687)	25 1/16"(637) [2]

69 11/32"(1761)
70 7/8"(1800)
66 3/4"(1695)
66"(1676)
42 15/32"(1079) [1]
12 15/32"(317) [1]




CWAP324818




CWAP324818-2

71 11/32"(1812)
72 7/8"(1851)
68 3/4"(1746)
68"(1727)
42 15/32"(1079) [1]
14 15/32"(368) [1]




CWAP324820




CWAP324820-2

75 11/32"(1914)
76 7/8"(1953)
72 3/4"(1848)
72"(1829)
42 15/32"(1079) [1]
18 15/32"(469) [1]




CWAP324824




CWAP324824-2

79 11/32"(2015)
80 7/8"(2054)
76 3/4"(1949)
76"(1930)
42 15/32"(1079) [1]
22 15/32"(571) [1]




CWAP324828




CWAP324828-2

81 11/32"(2066)
82 7/8"(2105)
78 3/4"(2000)
78"(1981)
42 15/32"(1079) [1]
24 15/32"(622) [1]



CWAP324830



CWAP324830-2


ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS




36" WIDE WBAP COMBO UNITS

MO BRICKMOLD	39 1/4"(997)	75 1/4"(1911)
MO FLAT CASING	42 5/16"(1075)	78 5/16"(1989)
ROUGH OPENING	36 3/4"(933)	72 3/4"(1848)
FRAME SIZE	36"(914)	72"(1829)
DAYLIGHT OPENING	31 1/16"(789)	31 1/16"(789) [2]

57 11/32"(1457)
58 7/8"(1495)
54 3/4"(1393)
54"(1372)
30 15/32"(774) [1]
12 15/32"(317) [1]




CWAP363618



CWAP363618-2

59 11/32"(1507)
60 7/8"(1546)
56 3/4"(1444)
56"(1423)
30 15/32"(774) [1]
14 15/32"(368) [1]




CWAP363620



CWAP363620-2

63 11/32"(1609)
64 7/8"(1648)
60 3/4"(1546)
60"(1525)
30 15/32"(774) [1]
18 15/32"(469) [1]




CWAP363624




CWAP363624-2

67 11/32"(1711)
68 7/8"(1750)
64 3/4"(1648)
64"(1626)
30 15/32"(774) [1]
22 15/32"(571) [1]




CWAP363628




CWAP363628-2

69 11/32"(1761)
70 7/8"(1800)
66 3/4"(1698)
66"(1676)
30 15/32"(774) [1]
24 15/32"(622) [1]



CWAP363630



CWAP363630-2


ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS




36" WIDE WBAP COMBO UNITS

MO BRICKMOLD	39 1/4"(997)	75 1/4"(1911)
MO FLAT CASING	42 5/16"(1075)	78 5/16"(1989)
ROUGH OPENING	36 3/4"(933)	72 3/4"(1848)
FRAME SIZE	36"(914)	72"(1829)
DAYLIGHT OPENING	31 1/16"(789)	31 1/16"(789) [2]

61 11/32"(1558)
62 7/8"(1597)
58 3/4"(1492)
58"(1473)
34 15/32"(876) [1]
12 15/32"(317) [1]




CWAP364018




CWAP364018-2

63 11/32"(1609)
64 7/8"(1648)
60 3/4"(1543)
60"(1524)
34 15/32"(876) [1]
14 15/32"(368) [1]




CWAP364020




CWAP364020-2

67 11/32"(1711)
68 7/8"(1749)
64 3/4"(1645)
64"(1626)
34 15/32"(876) [1]
18 15/32"(469) [1]




CWAP364024




CWAP364024-2

71 11/32"(1812)
72 7/8"(1851)
68 3/4"(1746)
68"(1727)
34 15/32"(876) [1]
22 15/32"(571) [1]




CWAP364028




CWAP364028-2

73 11/32"(1863)
74 7/8"(1902)
70 3/4"(1797)
70"(1778)
34 15/32"(876) [1]
24 15/32"(622) [1]



CWAP364030



CWAP364030-2


ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS




36" WIDE WBAP COMBO UNITS

MO BRICKMOLD	39 1/4"(997)	75 1/4"(1911)
MO FLAT CASING	42 5/16"(1075)	78 5/16"(1989)
ROUGH OPENING	36 3/4"(933)	72 3/4"(1848)
FRAME SIZE	36"(914)	72"(1829)
DAYLIGHT OPENING	31 1/16"(789)	31 1/16"(789) [2]

63 11/32"(1609)
64 7/8"(1648)
60 3/4"(1543)
60"(1524)
36 15/32"(926) [1]
12 15/32"(317) [1]




CWAP364218




CWAP364218-2

65 11/32"(1660)
66 7/8"(1699)
62 3/4"(1594)
62"(1575)
36 15/32"(926) [1]
14 15/32"(368) [1]




CWAP364220




CWAP364220-2

69 11/32"(1761)
70 7/8"(1800)
66 3/4"(1695)
66"(1676)
36 15/32"(926) [1]
18 15/32"(469) [1]




CWAP364224




CWAP364224-2

73 11/32"(1863)
74 7/8"(1902)
70 3/4"(1797)
70"(1778)
36 15/32"(926) [1]
22 15/32"(571) [1]




CWAP364228




CWAP364228-2

75 11/32"(1914)
76 7/8"(1953)
72 3/4"(1848)
72"(1829)
36 15/32"(926) [1]
24 15/32"(622) [1]



CWAP364230



CWAP364230-2


ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS



36" WIDE WBAP COMBO UNITS

MO BRICKMOLD	39 1/4"(997)	75 1/4"(1911)
MO FLAT CASING	42 5/16"(1075)	78 5/16"(1989)
ROUGH OPENING	36 3/4"(933)	72 3/4"(1848)
FRAME SIZE	36"(914)	72"(1829)
DAYLIGHT OPENING	31 1/16"(789)	31 1/16"(789) [2]

69 11/32"(1761)
70 7/8"(1800)
66 3/4"(1695)
66"(1676)
42 15/32"(1079) [1]
12 15/32"(317) [1]




CWAP364818



CWAP364818-2

71 11/32"(1812)
72 7/8"(1851)
68 3/4"(1746)
68"(1727)
42 15/32"(1079) [1]
14 15/32"(369) [1]




CWAP364820



CWAP364820-2

75 11/32"(1914)
76 7/8"(1953)
72 3/4"(1848)
72"(1829)
42 15/32"(1079) [1]
18 15/32"(469) [1]




CWAP364824



CWAP364824-2

79 11/32"(2015)
80 7/8"(2054)
76 3/4"(1949)
76"(1930)
42 15/32"(1079) [1]
22 15/32"(571) [1]




CWAP364828




CWAP364828-2

81 11/32"(2066)
82 7/8"(2105)
78 3/4"(2000)
78"(1981)
42 15/32"(1079) [1]
24 15/32"(622) [1]



CWAP364830



CWAP364830-2


ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS




42" WIDE WBAP COMBO UNITS

MO BRICKMOLD	45 1/4"(1149)	87 1/4"(2216)
MO FLAT CASING	48 5/16"(1227)	90 5/16"(2294)
ROUGH OPENING	42 3/4"(1086)	84 3/4"(2153)
FRAME SIZE	42"(1067)	84"(2134)
DAYLIGHT OPENING	37 1/16"(941)	37 1/16"(941) [2]

57 11/32"(1457)
58 7/8"(1495)
54 3/4"(1391)
54"(1372)
30 15/32"(774) [1]
12 15/32"(317) [1]




CWAP423618




CWAP423618-2

59 11/32"(1507)
60 7/8"(1546)
56 3/4"(1441)
56"(1422)
30 15/32"(774) [1]
14 15/32"(388) [1]




CWAP423620




CWAP423620-2

63 11/32"(1609)
64 7/8"(1648)
60 3/4"(1543)
60"(1524)
30 15/32"(774) [1]
18 15/32"(469) [1]




CWAP423624




CWAP423624-2

67 11/32"(1711)
68 7/8"(1749)
64 3/4"(1645)
64"(1626)
30 15/32"(774) [1]
22 15/32"(571) [1]




CWAP423628




CWAP423628-2

69 11/32"(1761)
70 7/8"(1800)
66 3/4"(1695)
66"(1676)
30 15/32"(774) [1]
24 15/32"(622) [1]



CWAP423630



CWAP423630-2


ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS




42" WIDE WBAP COMBO UNITS

MO BRICKMOLD	45 1/4"(1149)	87 1/4"(2216)
MO FLAT CASING	48 5/16"(1227)	90 5/16"(2294)
ROUGH OPENING	42 3/4"(1086)	84 3/4"(2153)
FRAME SIZE	42"(1067)	84"(2134)
DAYLIGHT OPENING	37 1/16"(941)	37 1/16"(941) [2]

61 11/32"(1558)
62 7/8"(1597)
58 3/4"(1492)
58"(1473)
34 15/32"(876) [1]
12 15/32"(317) [1]




CWAP424018




CWAP424018-2

63 11/32"(1609)
64 7/8"(1648)
60 3/4"(1543)
60"(1524)
34 15/32"(876) [1]
14 15/32"(368) [1]




CWAP424020




CWAP424020-2

67 11/32"(1711)
68 7/8"(1749)
64 3/4"(1645)
64"(1628)
34 15/32"(876) [1]
18 15/32"(469) [1]




CWAP424024




CWAP424024-2

71 11/32"(1812)
72 7/8"(1851)
68 3/4"(1746)
68"(1727)
34 15/32"(876) [1]
22 15/32"(571) [1]




CWAP424028




CWAP424028-2

73 11/32"(1863)
74 7/8"(1902)
70 3/4"(1797)
70"(1778)
34 15/32"(876) [1]
24 15/32"(622) [1]



CWAP424030



CWAP424030-2


ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS




42" WIDE WBAP COMBO UNITS

MO BRICKMOLD	45 1/4"(1149)	87 1/4"(2216)
MO FLAT CASING	48 5/16"(1227)	90 5/16"(2294)
ROUGH OPENING	42 3/4"(1086)	84 3/4"(2153)
FRAME SIZE	42"(1067)	84"(2134)
DAYLIGHT OPENING	37 1/16"(941)	37 1/16"(941) [2]

63 11/32"(1609)
64 7/8"(1646)
60 3/4"(1543)
36 15/32"(926) [1]
12 15/32"(377) [1]




CWAP424218




CWAP424218-2

65 11/32"(1660)
66 7/8"(1699)
62 3/4"(1594)
36 15/32"(926) [1]
14 15/32"(368) [1]




CWAP424220




CWAP424220-2

69 11/32"(1761)
70 7/8"(1800)
66 3/4"(1695)
36 15/32"(926) [1]
16 15/32"(469) [1]




CWAP424224



CWAP424224-2

73 11/32"(1863)
74 7/8"(1902)
70 3/4"(1797)
36 15/32"(926) [1]
22 15/32"(577) [1]




CWAP424228



CWAP424228-2

75 11/32"(1914)
76 7/8"(1953)
72 3/4"(1848)
36 15/32"(926) [1]
24 15/32"(622) [1]



CWAP424230



CWAP424230-2


ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS




42" WIDE WBAP COMBO UNITS

MO BRICKMOLD	45 1/4"(1149)	87 1/4"(2216)
MO FLAT CASING	48 5/16"(1227)	90 5/16"(2294)
ROUGH OPENING	42 3/4"(1086)	84 3/4"(2153)
FRAME SIZE	42"(1067)	84"(2134)
DAYLIGHT OPENING	37 1/16"(941)	37 1/16"(941) [2]

69 11/32"(1761)
70 7/8"(1800)
66 3/4"(1695)
66"(1676)
42 15/32"(1079) [1]
12 15/32"(317) [1]




CWAP424818



CWAP424818-2

71 11/32"(1812)
72 7/8"(1851)
68 3/4"(1746)
68"(1727)
42 15/32"(1079) [1]
14 15/32"(368) [1]




CWAP424820



CWAP424820-2

75 11/32"(1914)
76 7/8"(1953)
72 3/4"(1848)
72"(1829)
42 15/32"(1079) [1]
18 15/32"(469) [1]




CWAP424824




CWAP424824-2

79 11/32"(2015)
80 7/8"(2054)
76 3/4"(1949)
76"(1930)
42 15/32"(1079) [1]
22 15/32"(571) [1]




CWAP424828




CWAP424828-2

81 11/32"(2066)
82 7/8"(2105)
78 3/4"(2000)
78"(1981)
42 15/32"(1079) [1]
24 15/32"(622) [1]



CWAP424830



CWAP424830-2


ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS




48" WIDE WBAP COMBO UNITS

MO BRICKMOLD	51 1/4"(1302)	99 1/4"(2521)
MO FLAT CASING	54 5/16"(1380)	102 5/16"(2599)
ROUGH OPENING	48 3/4"(1238)	96 3/4"(2457)
FRAME SIZE	48"(1219)	96"(2438)
DAYLIGHT OPENING	43 1/16"(1094)	43 1/16"(1094) [2]

57 11/32"(1457)
58 7/8"(1485)
54 3/4"(1391)
54"(1372)
30 15/32"(774) [1]
12 15/32"(317) [1]




CWAP483618



CWAP483618-2

59 11/32"(1507)
60 7/8"(1546)
56 3/4"(1441)
56"(1422)
30 15/32"(774) [1]
14 15/32"(368) [1]




CWAP483620



CWAP483620-2

63 11/32"(1609)
64 7/8"(1648)
60 3/4"(1543)
60"(1524)
30 15/32"(774) [1]
18 15/32"(469) [1]




CWAP483624




CWAP483624-2

67 11/32"(1711)
68 7/8"(1749)
64 3/4"(1645)
64"(1626)
30 15/32"(774) [1]
22 15/32"(571) [1]




CWAP483628




CWAP483628-2

69 11/32"(1761)
70 7/8"(1800)
66 3/4"(1695)
66"(1676)
30 15/32"(774) [1]
24 15/32"(622) [1]



CWAP483630



CWAP483630-2


ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS




48" WIDE WBAP COMBO UNITS

MO BRICKMOLD	51 1/4"(1302)	99 1/4"(2521)
MO FLAT CASING	54 5/16"(1380)	102 5/16"(2599)
ROUGH OPENING	48 3/4"(1238)	96 3/4"(2457)
FRAME SIZE	48"(1219)	96"(2438)
DAYLIGHT OPENING	43 1/16"(1094)	43 1/16"(1094) [2]

61 11/32"(1558)
62 7/8"(1597)
58 3/4"(1492)
58"(1473)
34 15/32"(876) [1]
12 15/32"(317) [1]




CWAP484018




CWAP484018-2

63 11/32"(1609)
64 7/8"(1648)
60 3/4"(1543)
60"(1524)
34 15/32"(876) [1]
14 15/32"(368) [1]




CWAP484020




CWAP484020-2

67 11/32"(1711)
68 7/8"(1749)
64 3/4"(1645)
64"(1626)
34 15/32"(876) [1]
18 15/32"(469) [1]




CWAP484024




CWAP484024-2

71 11/32"(1812)
72 7/8"(1851)
68 3/4"(1746)
68"(1727)
34 15/32"(876) [1]
22 15/32"(571) [1]




CWAP484028




CWAP484028-2

73 11/32"(1863)
74 7/8"(1902)
70 3/4"(1797)
70"(1778)
34 15/32"(876) [1]
24 15/32"(622) [1]



CWAP484030



CWAP484030-2


ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS




48" WIDE WBAP COMBO UNITS

MO BRICKMOLD	51 1/4"(1302)	99 1/4"(2521)
MO FLAT CASING	54 5/16"(1380)	102 5/16"(2599)
ROUGH OPENING	48 3/4"(1238)	96 3/4"(2457)
FRAME SIZE	48"(1219)	96"(2438)
DAYLIGHT OPENING	43 1/16"(1094)	43 1/16"(1094) [2]

63 11/32"(1609)
64 7/8"(1648)
60 3/4"(1543)
60"(1524)
36 15/32"(926) [1]
12 15/32"(317) [1]




CWAP484218




CWAP484218-2

65 11/32"(1660)
66 7/8"(1699)
62 3/4"(1594)
62"(1575)
36 15/32"(926) [1]
14 15/32"(368) [1]




CWAP484220




CWAP484220-2

69 11/32"(1761)
70 7/8"(1800)
66 3/4"(1695)
66"(1676)
36 15/32"(926) [1]
18 15/32"(469) [1]




CWAP484224




CWAP484224-2

73 11/32"(1863)
74 7/8"(1902)
70 3/4"(1797)
70"(1778)
36 15/32"(926) [1]
22 15/32"(571) [1]




CWAP484228




CWAP484228-2

75 11/32"(1914)
76 7/8"(1953)
72 3/4"(1848)
72"(1828)
36 15/32"(926) [1]
24 15/32"(622) [1]



CWAP484230



CWAP484230-2


ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS




48" WIDE WBAP COMBO UNITS

MO BRICKMOLD	51 1/4"(1302)	99 1/4"(2521)
MO FLAT CASING	54 5/16"(1380)	102 5/16"(2599)
ROUGH OPENING	48 3/4"(1238)	96 3/4"(2457)
FRAME SIZE	48"(1219)	96"(2438)
DAYLIGHT OPENING	43 1/16"(1094)	43 1/16"(1094) [2]

69 11/32"(1761)
70 7/8"(1800)
66 3/4"(1695)
42 15/32"(1079) [1]
12 15/32"(317) [1]




CWAP484818




CWAP484818-2

71 11/32"(1812)
72 7/8"(1851)
68 1/4"(1746)
42 15/32"(1079) [1]
14 15/32"(368) [1]




CWAP484820



CWAP484820-2

75 11/32"(1914)
76 7/8"(1953)
72 1/4"(1848)
42 15/32"(1079) [1]
18 15/32"(469) [1]




CWAP484824



CWAP484824-2

79 11/32"(2015)
80 7/8"(2054)
76 3/4"(1949)
42 15/32"(1079) [1]
22 15/32"(571) [1]




CWAP484828




CWAP484828-2

81 11/32"(2066)
82 7/8"(2105)
79 3/4"(2000)
42 15/32"(1079) [1]
24 15/32"(622) [1]



CWAP484830



CWAP484830-2

ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS