



TABLE OF CONTENTS

---

**Elevations**

Single Units .....	2
Twin Units .....	8
3 Wide Units .....	10
Picture Units .....	12

Note: Elevations shown DO NOT have exterior trim. Subtract 1/2"(12.7) from M.O.(Masonry Opening) for Unit Sizes. Masonry openings above include Sill Nose, see Trim Options page for Sill Nose specifications. For other Trim Options refer to the Unit Sizing, Rough Opening & Masonry Openings page.



SINGLE UNITS

M.O. BRICKMOULD	21 1/2"(546)	23 1/2"(597)	27 1/2"(699)	31 1/2"(800)	33 1/2"(851)	35 1/2"(902)	39 1/2"(1003)
M.O. ADAMS/FLAT CASING	24 1/2"(645)	26 1/2"(673)	30 1/2"(775)	34 1/2"(876)	36 1/2"(927)	38 1/2"(978)	42 1/2"(1080)
ROUGH OPENING	18 3/4"(476)	20 3/4"(527)	24 3/4"(629)	28 3/4"(730)	30 3/4"(781)	32 3/4"(832)	36 3/4"(933)
FRAME SIZE	18"(457)	20"(508)	24"(610)	28"(711)	30"(762)	32"(813)	36"(914)
DAYLIGHT OPENING	12 3/32"(307)	14 3/32"(358)	18 3/32"(460)	22 3/32"(561)	24 3/32"(612)	26 3/32"(663)	30 3/32"(764)
19 15/16"(506) 22 7/16"(570) 18 3/4"(476) 18"(457) 12 3/32"(307)							
EWCA1818	EWCA2018	EWCA2418	EWCA2818	EWCA3018	EWCA3218	EWCA3618	
22 15/16"(683) 24 7/16"(621) 20 3/4"(527) 20"(508) 14 3/32"(358)							
EWCA1820	EWCA2020	EWCA2420	EWCA2820	EWCA3020	EWCA3220	EWCA3620	
26 15/16"(684) 28 7/16"(722) 24 3/4"(629) 24"(610) 18 3/32"(460)							
EWCA1824	EWCA2024	EWCA2424	EWCA2824	EWCA3024	EWCA3224	EWCA3624	
30 15/16"(786) 32 7/16"(624) 28 3/4"(730) 28"(711) 22 3/32"(561)							
EWCA1828	EWCA2028	EWCA2428	EWCA2828	EWCA3028	EWCA3228	EWCA3628	
32 15/16"(837) 34 7/16"(875) 30 3/4"(781) 30"(762) 24 3/32"(612)							
EWCA1830	EWCA2030	EWCA2430	EWCA2830	EWCA3030	EWCA3230	EWCA3630	
38 15/16"(989) 40 7/16"(1027) 36 3/4"(933) 36"(914) 30 3/32"(764)							
EWCA1836	EWCA2036	EWCA2436	EWCA2836	EWCA3036	EWCA3236	EWCA3636	
44 15/16"(1141) 46 7/16"(1180) 42 3/4"(1086) 42"(1067) 36 3/32"(917)							
EWCA1842	EWCA2042	EWCA2442	EWCA2842	EWCA3042	EWCA3242	EWCA3642	
50 15/16"(1294) 52 7/16"(1332) 48 3/4"(1238) 48"(1219) 42 3/32"(1070)							
EWCA1848	EWCA2048	EWCA2448	EWCA2848	EWCA3048	EWCA3248	EWCA3648	

Elevation Symbol Legend:

M.O. = Masonry Opening

Values in ( ) are in millimeter conversions.

## Number indicates design pressure (DP) rating with standard glazing.



SINGLE UNITS

	21 1/2"(546)	23 1/2"(597)	27 1/2"(699)	31 1/2"(800)	33 1/2"(851)	35 1/2"(902)	39 1/2"(1003)
M.O. BRICKMOUND	24 1/2"(645)	26 1/2"(673)	30 1/2"(775)	34 1/2"(876)	36 1/2"(927)	38 1/2"(978)	42 1/2"(1080)
M.O. ADAMS/FLAT CASING	18 3/4"(476)	20 3/4"(527)	24 3/4"(629)	28 3/4"(730)	30 3/4"(781)	32 3/4"(832)	36 3/4"(933)
ROUGH OPENING	18"(457)	20"(508)	24"(610)	28"(711)	30"(762)	32"(813)	36"(914)
FRAME SIZE	12 3/32"(307)	14 3/32"(358)	18 3/32"(460)	22 3/32"(561)	24 3/32"(612)	26 3/32"(663)	30 3/32"(764)
DAYLIGHT OPENING							
	EWCA1854	EWCA2054	EWCA2454	EWCA2854	EWCA3054	EWCA3254	EWCA3654
	EWCA1860	EWCA2060	EWCA2460	EWCA2860	EWCA3060	EWCA3260	EWCA3660
	EWCA1866	EWCA2066	EWCA2466	EWCA2866	EWCA3066	EWCA3266	EWCA3666
	EWCA1872	EWCA2072	EWCA2472	EWCA2872	EWCA3072	EWCA3272	EWCA3672

Elevation Symbol Legend:

M.O. = Masonry Opening

Values in ( ) are in millimeter conversions.

## Number indicates design pressure (DP) rating with standard glazing.



SINGLE UNITS

	21 1/2"(546)	23 1/2"(597)	27 1/2"(699)	31 1/2"(800)	33 1/2"(851)	35 1/2"(902)	39 1/2"(1003)
M.O. BRICKMOUND	21 1/2"(546)	23 1/2"(597)	27 1/2"(699)	31 1/2"(800)	33 1/2"(851)	35 1/2"(902)	39 1/2"(1003)
M.O. ADAMS/FLAT CASING	24 1/2"(645)	26 1/2"(673)	30 1/2"(775)	34 1/2"(876)	36 1/2"(927)	38 1/2"(978)	42 1/2"(1080)
ROUGH OPENING	18 3/4"(476)	20 3/4"(527)	24 3/4"(629)	28 3/4"(730)	30 3/4"(781)	32 3/4"(832)	36 3/4"(933)
FRAME SIZE	18"(457)	20"(508)	24"(610)	28"(711)	30"(762)	32"(813)	36"(914)
DAYLIGHT OPENING	12 3/32"(307)	14 3/32"(358)	18 3/32"(460)	22 3/32"(561)	24 3/32"(612)	26 3/32"(663)	30 3/32"(764)

80 15/16"(2056)	EWCA1878	EWCA2078	EWCA2478	EWCA2878	EWCA3078	EWCA3278	EWCA3678
82 7/16"(2094)							
78 3/4"(2000)							
76 1/8"(1981)							
72 3/32"(1831)							

86 15/16"(2208)	EWCA1884	EWCA2084	EWCA2484	EWCA2884	EWCA3084	EWCA3284	EWCA3684
88 7/16"(2246)							
84 3/4"(2153)							
84"(2134)							
78 3/32"(1984)							

Elevation Symbol Legend:

M.O. = Masonry Opening

Values in ( ) are in millimeter conversions.

## Number indicates design pressure (DP) rating with standard glazing.



SINGLE UNITS

M.O. BRICKMOUND	45 1/2"(1156)	51 1/2"(1308)	57 1/2"(1448)	63 1/2"(1613)
M.O. ADAMS/FLAT CASING	48 1/2"(1232)	54 1/2"(1384)	60 1/2"(1537)	66 1/2"(1689)
ROUGH OPENING	42 3/4"(1086)	48 3/4"(1238)	54 3/4"(1391)	60 3/4"(1543)
FRAME SIZE	42"(1067)	48"(1219)	54"(1372)	60"(1524)
DAYLIGHT OPENING	36 3/32"(917)	42 3/32"(1070)	48 3/32"(1222)	54 3/32"(1374)
19 15/16"(506) 22 7/16"(670) 18 3/4"(476) 18"(457) 12 3/32"(307)				
22 15/16"(683) 24 7/16"(621) 20 3/4"(527) 20"(508) 14 3/32"(358)				
26 15/16"(684) 28 7/16"(722) 24 3/4"(629) 24"(610) 18 3/32"(460)				
30 15/16"(786) 32 7/16"(624) 28 3/4"(730) 28"(711) 22 3/32"(661)				
32 15/16"(637) 34 7/16"(675) 30 3/4"(781) 30"(762) 24 3/32"(612)				
38 15/16"(889) 40 7/16"(1027) 36 3/4"(933) 36"(914) 30 3/32"(764)				
44 15/16"(1141) 46 7/16"(1180) 42 3/4"(1086) 42"(1067) 36 3/32"(917)				
50 15/16"(1294) 52 7/16"(1332) 48 3/4"(1238) 48"(1219) 42 3/32"(1070)				

Elevation Symbol Legend:

M.O. = Masonry Opening

Values in ( ) are in millimeter conversions.

## Number indicates design pressure (DP) rating with standard glazing.



SINGLE UNITS


M.O. BRICKMOUND  
M.O. ADAMS/FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

45 1/2"(1156)  
48 1/2"(1232)  
42 3/4"(1086)  
42"(1067)  
36 3/32"(917)


51 1/2"(1308)  
54 1/2"(1384)  
48 3/4"(1238)  
48"(1219)  
42 3/32"(1070)

57 1/2"(1448)  
60 1/2"(1537)  
54 3/4"(1391)  
54"(1372)  
48 3/32"(1222)


56 15/16"(1446)  
58 7/16"(1484)  
54 3/4"(1391)  
54"(1372)  
48 3/32"(1222)



EWCA4254




EWCA4854




EWCA5454

62 15/16"(1599)  
64 7/16"(1637)  
60 3/4"(1543)  
60"(1524)  
54 3/32"(1374)




EWCA4260




EWCA4860

68 15/16"(1751)  
70 7/16"(1789)  
66 3/4"(1695)  
66"(1676)  
60 3/32"(1526)




EWCA4266




EWCA4866

74 15/16"(1903)  
76 7/16"(1942)  
72 3/4"(1848)  
72"(1829)  
66 3/32"(1679)



EWCA4272

80 15/16"(2056)  
82 7/16"(2094)  
78 3/4"(2000)  
78"(1981)  
72 3/32"(1831)



EWCA4278

Elevation Symbol Legend:

M.O. = Masonry Opening

Values in ( ) are in millimeter conversions.

## Number indicates design pressure (DP) rating with standard glazing.



SINGLE UNITS

M.O. BRICKMOULD  
M.O. ADAMS/FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

69 1/2" (1765)  
72 1/2" (1842)  
66 3/4" (1695)  
66" (1676)  
60 3/32" (1526)

75 1/2" (1918)  
78 1/2" (1994)  
72 3/4" (1848)  
72" (1829)  
66 3/32" (1679)

19 15/16" (506)  
22 7/16" (570)  
18 3/4" (476)  
18" (457)  
12 3/32" (307)



EWCA6618



EWCA7218

22 15/16" (683)  
24 7/16" (621)  
20 3/4" (527)  
20" (508)  
14 3/32" (368)




EWCA6620




EWCA7220

26 15/16" (684)  
28 7/16" (722)  
24 3/4" (629)  
24" (610)  
18 3/32" (460)



EWCA6624



EWCA7224

30 15/16" (786)  
32 7/16" (824)  
28 3/4" (730)  
28" (711)  
22 3/32" (561)



EWCA6628



EWCA7228

32 15/16" (837)  
34 7/16" (875)  
30 3/4" (781)  
30" (762)  
24 3/32" (612)




EWCA6630



EWCA7230

38 15/16" (989)  
40 7/16" (1027)  
36 3/4" (933)  
36" (914)  
30 3/32" (764)



EWCA6636



EWCA7236

44 15/16" (1141)  
46 7/16" (1180)  
42 3/4" (1086)  
42" (1067)  
36 3/32" (917)



EWCA6642



EWCA7242

Elevation Symbol Legend:

M.O. = Masonry Opening

Values in ( ) are in millimeter conversions.













## Number indicates design pressure (DP) rating with standard glazing.







TWIN UNITS

MO BRICKMOLD	87 1/2"(2223)	99 1/2"(2527)
MO FLAT CASING	90 1/2"(2299)	102 1/2"(2604)
ROUGH OPENING	84 3/4"(2153)	96 3/4"(2457)
FRAME SIZE	84"(2134)	96"(2438)
DAYLIGHT OPENING	36 3/32"(917)[2]	42 3/32"(1070)[2]
20 15/16"(532) 22 7/16"(570) 22 7/16"(570) 18 3/4"(476) 18"(457) 12 3/32"(307)	 EWA4218-2	 EWA4818-2
22 15/16"(593) 24 7/16"(621) 20 3/4"(527) 20"(508) 14 3/32"(358)	 EWA4220-2	 EWA4820-2
26 15/16"(684) 28 7/16"(722) 24 3/4"(629) 24"(610) 18 3/32"(460)	 EWA4224-2	 EWA4824-2
32 15/16"(837) 34 7/16"(875) 30 3/4"(781) 30"(762) 24 3/32"(612)	 EWA4230-2	 EWA4830-2
38 15/16"(989) 40 7/16"(1027) 36 3/4"(933) 36"(914) 30 3/32"(764)	 EWA4236-2	 EWA4836-2
50 15/16"(1294) 52 7/16"(1332) 48 3/4"(1238) 48"(1219) 42 3/32"(1070)	 EWA4248-2	 EWA4848-2

Elevation Symbol Legend:

M.O. = Masonry Opening

Values in ( ) are in millimeter conversions.

Values in [ ] are number of Daylight Openings per unit.



3 WIDE UNITS

	57 1/2"(1448)	63 1/2"(1613)	75 1/2"(1918)	87 1/2"(2223)	93 1/2"(2380)	99 1/2"(2527)
MO BRICKMOLD	57 1/2"(1448)	63 1/2"(1613)	75 1/2"(1918)	87 1/2"(2223)	93 1/2"(2380)	99 1/2"(2527)
MO FLAT CASING	60 1/2"(1537)	66 1/2"(1689)	78 1/2"(1994)	90 1/2"(2299)	96 1/2"(2451)	102 1/2"(2604)
ROUGH OPENING	54 3/4"(1391)	60 3/4"(1543)	72 3/4"(1848)	84 3/4"(2153)	90 3/4"(2305)	96 3/4"(2457)
FRAME SIZE	54"(1372)	60"(1524)	72"(1829)	84"(2134)	90"(2286)	96"(2438)
DAYLIGHT OPENING	12 3/32"(307)[3]	14 3/32"(359)[3]	18 3/32"(460)[3]	22 3/32"(561)[3]	24 3/32"(612)[3]	26 3/32"(663)[3]
20 15/16"(532)						
22 15/16"(583)						
26 15/16"(684)						
32 15/16"(837)						
38 15/16"(989)						
44 15/16"(1141)						
60 15/16"(1294)						

Elevation Symbol Legend:

M.O. = Masonry Opening

Values in ( ) are in millimeter conversions.

Values in [ ] are number of Daylight Openings per unit.



3 WIDE UNITS

	111 1/2"(2832)	129 1/2"(3289)	147 1/2"(3747)
MO BRICKMOLD	114 1/2"(2908)	132 1/2"(3366)	150 1/2"(3823)
MO FLAT CASING	108 3/4"(2762)	126 3/4"(3219)	144 3/4"(3677)
ROUGH OPENING	108"(2743)	126"(3200)	144"(3658)
FRAME SIZE	30 3/32"(764)[3]	36 3/32"(917)[3]	42 3/32"(1070)[3]
DAYLIGHT OPENING			
20 15/16"(532)			
22 15/16"(683)			
26 15/16"(684)			
32 15/16"(637)			
38 15/16"(989)			
44 15/16"(1141)			
50 15/16"(1294)			

Elevation Symbol Legend:

M.O. = Masonry Opening

Values in ( ) are in millimeter conversions.

Values in [ ] are number of Daylight Openings per unit.



PICTURE UNITS

MO BRICKMOLD  
MO FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING


39 1/2"(1003)  
42 1/2"(1080)  
36 3/4"(933)  
36"(914)  
30 3/32"(764)

45 1/2"(1156)  
48 1/2"(1232)  
42 3/4"(1086)  
42"(1067)  
36 3/32"(917)


51 1/2"(1308)  
54 1/2"(1384)  
48 3/4"(1238)  
48"(1219)  
42 3/32"(1070)

63 1/2"(1613)  
66 1/2"(1689)  
60 3/4"(1543)  
60"(1524)  
54 3/32"(1374)


38 15/16"(989)  
40 7/16"(1027)  
36 3/4"(933)  
36"(914)  
30 3/32"(765)



EWAP3636



EWAP4236




EWAP4836




EWAP6036


44 15/16"(1141)  
46 7/16"(1180)  
42 3/4"(1086)  
42"(1067)  
36 3/32"(916)



EWAP3642



EWAP4242




EWAP4842




EWAP6042


50 15/16"(1294)  
52 7/16"(1332)  
48 3/4"(1238)  
48"(1219)  
42 3/32"(1070)




EWAP3648



EWAP4248




EWAP4848




EWAP6048


56 15/16"(1421)  
58 7/16"(1484)  
54 3/4"(1391)  
54"(1372)  
48 3/32"(1222)




EWAP3654



EWAP4254




EWAP4854




EWAP6054


62 15/16"(1699)  
64 7/16"(1637)  
60 3/4"(1543)  
60"(1524)  
54 3/32"(1374)




EWAP3660



EWAP4260




EWAP4860




EWAP6060


68 15/16"(1751)  
70 7/16"(1789)  
66 3/4"(1695)  
66"(1676)  
60 3/32"(1526)




EWAP3666



EWAP4266



EWAP4866



EWAP6066

Elevation Symbol Legend:

M.O. = Masonry Opening


Values in ( ) are in millimeter conversions.




PICTURE UNITS

MO BRICKMOLD	39 1/2"(1003)	45 1/2"(1156)	51 1/2"(1308)	63 1/2"(1613)
MO FLAT CASING	42 1/2"(1080)	48 1/2"(1232)	54 1/2"(1384)	66 1/2"(1689)
ROUGH OPENING	36 3/4"(933)	42 3/4"(1086)	48 3/4"(1238)	60 3/4"(1543)
FRAME SIZE	36"(914)	42"(1067)	48"(1219)	60"(1524)
DAYLIGHT OPENING	30 3/32"(764)	36 3/32"(917)	42 3/32"(1070)	54 3/32"(1374)


74 15/16"(1903)  
76 7/16"(1942)  
72 3/4"(1848)  
72"(1829)  
66 3/32"(1679)




EWAP3672



EWAP4272



EWAP4872



EWAP6072

Elevation Symbol Legend:

M.O. = Masonry Opening

Values in ( ) are in millimeter conversions.



PICTURE UNITS

MO BRICKMOLD 75 1/2"(1918)  
MO FLAT CASING 78 1/2"(1994)  
ROUGH OPENING 72 3/4"(1848)  
FRAME SIZE 72"(1829)  
DAYLIGHT OPENING 66 3/32"(1679)

38 15/16"(989)  
40 7/16"(1027)  
36 3/4"(933)  
36"(914)  
30 3/32"(765)



EWAP7236

44 15/16"(1141)  
46 7/16"(1180)  
42 3/4"(1086)  
42"(1067)  
36 3/32"(916)



EWAP7242

50 15/16"(1294)  
52 7/16"(1332)  
48 3/4"(1238)  
48"(1219)  
42 3/32"(1070)




EWAP7248

56 15/16"(1421)  
58 7/16"(1484)  
54 3/4"(1391)  
54"(1372)  
48 3/32"(1222)




EWAP7254

62 15/16"(1599)  
64 7/16"(1637)  
60 3/4"(1543)  
60"(1524)  
54 3/32"(1374)



EWAP7260


68 15/16"(1751)  
70 7/16"(1789)  
66 3/4"(1695)  
66"(1676)  
60 3/32"(1526)



EWAP7266

MO BRICKMOLD 75 1/2"(1918)  
MO FLAT CASING 78 1/2"(1994)  
ROUGH OPENING 72 3/4"(1848)  
FRAME SIZE 72"(1829)  
DAYLIGHT OPENING 66 3/32"(1679)

74 15/16"(1903)  
76 7/16"(1942)  
72 3/4"(1848)  
72"(1829)  
66 3/32"(1679)



EWAP7272

Elevation Symbol Legend:

M.O. = Masonry Opening

Values in ( ) are in millimeter conversions.