



Premium™ Vinyl  
Multi-Slide Patio Doors



## TABLE OF CONTENTS

About JELD-WEN	2
Premium™ Vinyl Multi-Slide Patio Door	3
Bypass Panels	4
Pocket Panels	6

## About JELD-WEN

### DEDICATION FROM DAY ONE


Since 1960, when JELD-WEN began with one millwork plant, we've been dedicated to crafting windows and doors that enhance the beauty and functionality of your home. Today we continue that tradition with products that are durable and worry-free. It's the result of innovation as the driving force in all that we do. It begins in the forests where our premium lumber is harvested. In addition to responsible sourcing practices, we reuse and recycle as much of our raw resources as possible. Innovation is also at the heart of our design and manufacturing process. With JELD-WEN, you can expect products that are more than just beautiful on the outside. The inner workings of our windows and doors are engineered to function flawlessly for years to come.



# Help a Smaller Budget Make a Huge Impact

JELD-WEN pairs design innovation with low maintenance in this stunning new product offering.

The Premium™ Vinyl Multi-Slide patio door dramatically opens up rooms to the outdoors, creating light, open space with up to six-panel units reaching 10 feet in height and 24 feet in width. Premium Vinyl construction means simple upkeep and more design possibilities for smaller budgets.



Available in non-impact (PG35 and PG50) and impact (wind zone 3 and 4).

## FEATURES

- Independently moving panels on two, three or four tracks with up to six panels for maximum design flexibility
- Maximum size panels: 5'x8' or 4'x10'
- Multipoint lock system aids security and product performance
- Easy installation with popular sizes and configurations



Adjustable Stainless Steel Rollers

### Glass options

- LoE<sup>3</sup>-366<sup>®</sup> insulating glass with argon
- Clear, obscure, laminated or textured glass
- ImpactGard™ glass available for coastal climates

### Blinds, grilles and screens

- Blinds between glass (available on limited sizes)
- Grilles between glass
- Simulated divided lites
- Fiberglass mesh screen (standard) retractable screen (upgrade)

### Hardware

- Pull handles (standard and upgrade)
- Recessed handles (upgrade)



### INTERIOR FINISHES



White Almond Desert Sand

### EXTERIOR FINISHES




White Almond Desert Sand Chestnut Bronze\*

\*Available only with white interior.

### HARDWARE FINISHES



White Almond Desert Sand Bright Chrome Satin Nickel





Oil-Rubbed Bronze Chestnut Bronze

Note: not all finishes are available on all hardware styles, consult your dealer.

See a dealer or [jeld-wen.com](http://jeld-wen.com) for additional product details and ordering information.

# Bypass Panels


These are Premium™ Vinyl Multi-Slide patio door bypass panels, which move the doors left or right.

 Indicates the direction of operation  
 Indicates bidirectional Operation  
 X = Operating | O = Fixed

## Bypass Units

4-panel

Call Size	Configurations / Frame	Stacking	Net Frame Size
10/0 x 6/8	OXXO   2 TRACK	Standard	117-13/16" x 79-1/2"
12/0 x 6/8	OXXO   2 TRACK	Standard	141-13/16" x 79-1/2"
16/0 x 6/8	OXXO   2 TRACK	Standard	189-13/16" x 79-1/2"
20/0 x 6/8	OXXO   2 TRACK	Standard	237-13/16" x 79-1/2"
10/0 x 8/0	OXXO   2 TRACK	Standard	117-13/16" x 95-1/2"
12/0 x 8/0	OXXO   2 TRACK	Standard	141-13/16" x 95-1/2"
16/0 x 8/0	OXXO   2 TRACK	Standard	189-13/16" x 95-1/2"
20/0 x 8/0	OXXO   2 TRACK	Standard	237-13/16" x 95-1/2"
10/0 x 10/0	OXXO   2 TRACK	Standard	117-13/16" x 119-1/2"
12/0 x 10/0	OXXO   2 TRACK	Standard	141-13/16" x 119-1/2"
16/0 x 10/0	OXXO   2 TRACK	Standard	189-13/16" x 119-1/2"
20/0 x 6/8	OXXO   2 TRACK	Standard	237-13/16" x 79-1/2"
20/0 x 8/0	OXXO   2 TRACK	Standard	237-13/16" x 95-1/2"



5-panel

Call Size	Configurations / Frame	Stacking	Net Frame Size
12/6 x 6/8	OXXXX   3 TRACK	Standard/Reverse	144-13/16" x 79-1/2"
15/0 x 6/8	OXXXX   3 TRACK	Standard/Reverse	174-13/16" x 79-1/2"
20/0 x 6/8	OXXXX   3 TRACK	Standard/Reverse	234-13/16" x 79-1/2"
12/6 x 8/0	OXXXX   3 TRACK	Standard/Reverse	144-13/16" x 95-1/2"
15/0 x 8/0	OXXXX   3 TRACK	Standard/Reverse	174-13/16" x 95-1/2"
20/0 x 8/0	OXXXX   3 TRACK	Standard/Reverse	234-13/16" x 95-1/2"
12/6 x 10/0	OXXXX   3 TRACK	Standard/Reverse	144-13/16" x 119-1/2"
15/0 x 10/0	OXXXX   3 TRACK	Standard/Reverse	174-13/16" x 119-1/2"
20/0 x 10/0	OXXXX   3 TRACK	Standard/Reverse	234-13/16" x 119-1/2"


6-panel

Call Size	Configurations / Frame	Stacking	Net Frame Size
15/0 x 6/8	OXXXXO   3 TRACK	Standard	173-13/16" x 79-1/2"
18/0 x 6/8	OXXXXO   3 TRACK	Standard	207-13/16" x 79-1/2"
24/0 x 6/8	OXXXXO   3 TRACK	Standard	279-13/16" x 79-1/2"
15/0 x 8/0	OXXXXO   3 TRACK	Standard	173-13/16" x 95-1/2"
18/0 x 8/0	OXXXXO   3 TRACK	Standard	207-13/16" x 95-1/2"
24/0 x 8/0	OXXXXO   3 TRACK	Standard	279-13/16" x 95-1/2"
15/0 x 10/0	OXXXXO   3 TRACK	Standard	173-13/16" x 119-1/2"
18/0 x 10/0	OXXXXO   3 TRACK	Standard	207-13/16" x 119-1/2"
24/0 x 10/0	OXXXXO   3 TRACK	Standard	279-13/16" x 119-1/2"

## Bypass Bidirectional Units

4-panel

Call Size	Configurations / Frame	Stacking	Net Frame Size
10/0 x 6/8	XXXX   2 TRACK	Standard	117-13/16" x 79-1/2"
12/0 x 6/8	XXXX   2 TRACK	Standard	141-13/16" x 79-1/2"
16/0 x 6/8	XXXX   2 TRACK	Standard	189-13/16" x 79-1/2"
10/0 x 8/0	XXXX   2 TRACK	Standard	117-13/16" x 95-1/2"
12/0 x 8/0	XXXX   2 TRACK	Standard	141-13/16" x 95-1/2"
16/0 x 8/0	XXXX   2 TRACK	Standard	189-13/16" x 95-1/2"
10/0 x 10/0	XXXX   2 TRACK	Standard	117-13/16" x 119-1/2"
12/0 x 10/0	XXXX   2 TRACK	Standard	141-13/16" x 119-1/2"
16/0 x 10/0	XXXX   2 TRACK	Standard	189-13/16" x 119-1/2"
10/0 x 6/8	XXXX   4 TRACK	Standard/Reverse	113-1/2" x 79-1/2"
12/0 x 6/8	XXXX   4 TRACK	Standard/Reverse	137-1/2" x 79-1/2"
16/0 x 6/8	XXXX   4 TRACK	Standard/Reverse	185-1/2" x 79-1/2"
20/0 x 6/8	XXXX   4 TRACK	Standard/Reverse	233-1/2" x 79-1/2"
10/0 x 8/0	XXXX   4 TRACK	Standard/Reverse	113-1/2" x 95-1/2"
12/0 x 8/0	XXXX   4 TRACK	Standard/Reverse	137-1/2" x 95-1/2"
16/0 x 8/0	XXXX   4 TRACK	Standard/Reverse	185-1/2" x 95-1/2"
20/0 x 8/0	XXXX   4 TRACK	Standard/Reverse	233-1/2" x 95-1/2"
10/0 x 10/0	XXXX   4 TRACK	Standard/Reverse	113-1/2" x 119-1/2"
12/0 x 10/0	XXXX   4 TRACK	Standard/Reverse	137-1/2" x 119-1/2"
16/0 x 10/0	XXXX   4 TRACK	Standard/Reverse	185-1/2" x 119-1/2"




6-panel

Call Size	Configurations / Frame	Stacking	Net Frame Size
15/0 x 6/8	XXXXXX   3 TRACK	Standard	173-13/16" x 79-1/2"
18/0 x 6/8	XXXXXX   3 TRACK	Standard	207-13/16" x 79-1/2"
24/0 x 6/8	XXXXXX   3 TRACK	Standard	279-13/16" x 79-1/2"
15/0 x 8/0	XXXXXX   3 TRACK	Standard	173-13/16" x 95-1/2"
18/0 x 8/0	XXXXXX   3 TRACK	Standard	207-13/16" x 95-1/2"
24/0 x 8/0	XXXXXX   3 TRACK	Standard	279-13/16" x 95-1/2"
15/0 x 10/0	XXXXXX   3 TRACK	Standard	173-13/16" x 119-1/2"
18/0 x 10/0	XXXXXX   3 TRACK	Standard	207-13/16" x 119-1/2"
24/0 x 10/0	XXXXXX   3 TRACK	Standard	279-13/16" x 119-1/2"

## Bypass Unidirectional Units

### 2-panel

Call Size	Configurations / Frame	Stacking	Net Frame Size
5/0 x 6/8	XO-OX   2 TRACK	Standard/Reverse	59-1/2" x 79-1/2"
6/0 x 6/8	XO-OX   2 TRACK	Standard/Reverse	71-1/2" x 79-1/2"
8/0 x 6/8	XO-OX   2 TRACK	Standard/Reverse	95-1/2" x 79-1/2"
10/0 x 6/8	XO-OX   2 TRACK	Standard/Reverse	119-1/2" x 79-1/2"
5/0 x 8/0	XO-OX   2 TRACK	Standard/Reverse	59-1/2" x 95-1/2"
6/0 x 8/0	XO-OX   2 TRACK	Standard/Reverse	71-1/2" x 95-1/2"
8/0 x 8/0	XO-OX   2 TRACK	Standard/Reverse	95-1/2" x 95-1/2"
10/0 x 8/0	XO-OX   2 TRACK	Standard/Reverse	119-1/2" x 95-1/2"
5/0 x 10/0	XO-OX   2 TRACK	Standard/Reverse	59-1/2" x 119-1/2"
6/0 x 10/0	XO-OX   2 TRACK	Standard/Reverse	71-1/2" x 119-1/2"
8/0 x 10/0	XO-OX   2 TRACK	Standard/Reverse	95-1/2" x 119-1/2"



### 3-panel

Call Size	Configurations / Frame	Stacking	Net Frame Size
9/0 x 6/8	XXX   2 TRACK	Standard	104-1/2" x 79-1/2"
12/0 x 6/8	XXX   2 TRACK	Standard	140-1/2" x 79-1/2"
15/0 x 6/8	XXX   2 TRACK	Standard	176-1/2" x 79-1/2"
9/0 x 8/0	XXX   2 TRACK	Standard	104-1/2" x 95-1/2"
12/0 x 8/0	XXX   2 TRACK	Standard	140-1/2" x 95-1/2"
15/0 x 8/0	XXX   2 TRACK	Standard	176-1/2" x 95-1/2"
9/0 x 10/0	XXX   2 TRACK	Standard	104-1/2" x 119-1/2"
12/0 x 10/0	XXX   2 TRACK	Standard	140-1/2" x 119-1/2"
9/0 x 6/8	XXX   3 TRACK	Standard/Reverse	104-1/2" x 79-1/2"
12/0 x 6/8	XXX   3 TRACK	Standard/Reverse	140-1/2" x 79-1/2"
15/0 x 6/8	XXX   3 TRACK	Standard/Reverse	176-1/2" x 79-1/2"
9/0 x 8/0	XXX   3 TRACK	Standard/Reverse	104-1/2" x 95-1/2"
12/0 x 8/0	XXX   3 TRACK	Standard/Reverse	140-1/2" x 95-1/2"
15/0 x 8/0	XXX   3 TRACK	Standard/Reverse	176-1/2" x 95-1/2"
9/0 x 10/0	XXX   3 TRACK	Standard/Reverse	104-1/2" x 119-1/2"
12/0 x 10/0	XXX   3 TRACK	Standard/Reverse	140-1/2" x 119-1/2"


### 4-panel

Call Size	Configurations / Frame	Stacking	Net Frame Size
10/0 x 6/8	XXXX-OXXX   4 TRACK	Standard/Reverse	113-1/2" x 79-1/2"
12/0 x 6/8	XXXX-OXXX   4 TRACK	Standard/Reverse	137-1/2" x 79-1/2"
16/0 x 6/8	XXXX-OXXX   4 TRACK	Standard/Reverse	185-1/2" x 79-1/2"
20/0 x 6/8	XXXX-OXXX   4 TRACK	Standard/Reverse	233-1/2" x 79-1/2"
10/0 x 8/0	XXXX-OXXX   4 TRACK	Standard/Reverse	113-1/2" x 95-1/2"
12/0 x 8/0	XXXX-OXXX   4 TRACK	Standard/Reverse	137-1/2" x 95-1/2"
16/0 x 8/0	XXXX-OXXX   4 TRACK	Standard/Reverse	185-1/2" x 95-1/2"
20/0 x 8/0	XXXX-OXXX   4 TRACK	Standard/Reverse	233-1/2" x 95-1/2"
10/0 x 10/0	XXXX-OXXX   4 TRACK	Standard/Reverse	113-1/2" x 119-1/2"
12/0 x 10/0	XXXX-OXXX   4 TRACK	Standard/Reverse	137-1/2" x 119-1/2"
16/0 x 10/0	XXXX-OXXX   4 TRACK	Standard/Reverse	185-1/2" x 119-1/2"

## Bypass Bi-Directional Units

### 2-panel

Call Size	Configurations / Frame	Stacking	Net Frame Size
5/0 x 6/8	XX   2 TRACK	Standard/Reverse	59-1/2" x 79-1/2"
6/0 x 6/8	XX   2 TRACK	Standard/Reverse	71-1/2" x 79-1/2"
8/0 x 6/8	XX   2 TRACK	Standard/Reverse	95-1/2" x 79-1/2"
10/0 x 6/8	XX   2 TRACK	Standard/Reverse	119-1/2" x 79-1/2"
5/0 x 8/0	XX   2 TRACK	Standard/Reverse	59-1/2" x 95-1/2"
6/0 x 8/0	XX   2 TRACK	Standard/Reverse	71-1/2" x 95-1/2"
8/0 x 8/0	XX   2 TRACK	Standard/Reverse	95-1/2" x 95-1/2"
10/0 x 8/0	XX   2 TRACK	Standard/Reverse	119-1/2" x 95-1/2"
5/0 x 10/0	XX   2 TRACK	Standard/Reverse	59-1/2" x 119-1/2"
6/0 x 10/0	XX   2 TRACK	Standard/Reverse	71-1/2" x 119-1/2"
8/0 x 10/0	XX   2 TRACK	Standard/Reverse	95-1/2" x 119-1/2"



### 3-panel



Call Size	Configurations / Frame	Stacking	Net Frame Size
9/0 x 6/8	XXX   2 TRACK	Standard	104-1/2" x 79-1/2"
12/0 x 6/8	XXX   2 TRACK	Standard	140-1/2" x 79-1/2"
15/0 x 6/8	XXX   2 TRACK	Standard	176-1/2" x 79-1/2"
9/0 x 8/0	XXX   2 TRACK	Standard	104-1/2" x 95-1/2"
12/0 x 8/0	XXX   2 TRACK	Standard	140-1/2" x 95-1/2"
15/0 x 8/0	XXX   2 TRACK	Standard	176-1/2" x 95-1/2"
9/0 x 10/0	XXX   2 TRACK	Standard	104-1/2" x 119-1/2"
12/0 x 10/0	XXX   2 TRACK	Standard	140-1/2" x 119-1/2"
9/0 x 6/8	XXX   3 TRACK	Standard/Reverse	104-1/2" x 79-1/2"
12/0 x 6/8	XXX   3 TRACK	Standard/Reverse	140-1/2" x 79-1/2"
15/0 x 6/8	XXX   3 TRACK	Standard/Reverse	176-1/2" x 79-1/2"
9/0 x 8/0	XXX   3 TRACK	Standard/Reverse	104-1/2" x 95-1/2"
12/0 x 8/0	XXX   3 TRACK	Standard/Reverse	140-1/2" x 95-1/2"
15/0 x 8/0	XXX   3 TRACK	Standard/Reverse	176-1/2" x 95-1/2"
9/0 x 10/0	XXX   3 TRACK	Standard/Reverse	104-1/2" x 119-1/2"
12/0 x 10/0	XXX   3 TRACK	Standard/Reverse	140-1/2" x 119-1/2"

### 4-panel


Call Size	Configurations / Frame	Stacking	Net Frame Size
10/0 x 6/8	XXXX   2 TRACK	Standard	117-13/16" x 79-1/2"
12/0 x 6/8	XXXX   2 TRACK	Standard	141-13/16" x 79-1/2"
16/0 x 6/8	XXXX   2 TRACK	Standard	189-13/16" x 79-1/2"
10/0 x 8/0	XXXX   2 TRACK	Standard	117-13/16" x 95-1/2"
12/0 x 8/0	XXXX   2 TRACK	Standard	141-13/16" x 95-1/2"
16/0 x 8/0	XXXX   2 TRACK	Standard	189-13/16" x 95-1/2"
10/0 x 10/0	XXXX   2 TRACK	Standard	117-13/16" x 119-1/2"
12/0 x 10/0	XXXX   2 TRACK	Standard	141-13/16" x 119-1/2"
16/0 x 10/0	XXXX   2 TRACK	Standard	189-13/16" x 119-1/2"
10/0 x 6/8	XXXX   4 TRACK	Standard/Reverse	113-1/2" x 79-1/2"
12/0 x 6/8	XXXX   4 TRACK	Standard/Reverse	137-1/2" x 79-1/2"
16/0 x 6/8	XXXX   4 TRACK	Standard/Reverse	185-1/2" x 79-1/2"
20/0 x 6/8	XXXX   4 TRACK	Standard/Reverse	233-1/2" x 79-1/2"
10/0 x 8/0	XXXX   4 TRACK	Standard/Reverse	113-1/2" x 95-1/2"
12/0 x 8/0	XXXX   4 TRACK	Standard/Reverse	137-1/2" x 95-1/2"
16/0 x 8/0	XXXX   4 TRACK	Standard/Reverse	185-1/2" x 95-1/2"
20/0 x 8/0	XXXX   4 TRACK	Standard/Reverse	233-1/2" x 95-1/2"
10/0 x 10/0	XXXX   4 TRACK	Standard/Reverse	113-1/2" x 119-1/2"
12/0 x 10/0	XXXX   4 TRACK	Standard/Reverse	137-1/2" x 119-1/2"
16/0 x 10/0	XXXX   4 TRACK	Standard/Reverse	185-1/2" x 119-1/2"

# Pocket Panels

These are pocket panel options for Premium™ Vinyl Multi-Slide patio doors. Pocket doors slide to the right into the wall, hiding the door in a pocket.

 Indicates the direction of operation  
 Indicates bidirectional Operation  
 X = Operating | O = Fixed

## Pocket Unidirectional Units



### 1-panel

Call Size	Configurations / Frame	Stacking	Net Frame Size
2/6 x 6/8	X   2 TRACK	Pkt Left or Pkt Right	27-9/16" x 79-1/2"
3/0 x 6/8	X   2 TRACK	Pkt Left or Pkt Right	33-9/16" x 79-1/2"
4/0 x 6/8	X   2 TRACK	Pkt Left or Pkt Right	45-9/16" x 79-1/2"
5/0 x 6/8	X   2 TRACK	Pkt Left or Pkt Right	57-9/16" x 79-1/2"
2/6 x 8/0	X   2 TRACK	Pkt Left or Pkt Right	27-9/16" x 95-1/2"
3/0 x 8/0	X   2 TRACK	Pkt Left or Pkt Right	33-9/16" x 95-1/2"
4/0 x 8/0	X   2 TRACK	Pkt Left or Pkt Right	45-9/16" x 95-1/2"
5/0 x 8/0	X   2 TRACK	Pkt Left or Pkt Right	57-9/16" x 95-1/2"
2/6 x 10/0	X   2 TRACK	Pkt Left or Pkt Right	27-9/16" x 119-1/2"
3/0 x 10/0	X   2 TRACK	Pkt Left or Pkt Right	33-9/16" x 119-1/2"
4/0 x 10/0	X   2 TRACK	Pkt Left or Pkt Right	45-9/16" x 119-1/2"

### 2-panel

Call Size	Configurations / Frame	Stacking	Net Frame Size
5/0 x 6/8	XX   2 TRACK	Pkt Left or Pkt Right	54-9/16" x 79-1/2"
6/0 x 6/8	XX   2 TRACK	Pkt Left or Pkt Right	66-9/16" x 79-1/2"
8/0 x 6/8	XX   2 TRACK	Pkt Left or Pkt Right	90-9/16" x 79-1/2"
10/0 x 6/8	XX   2 TRACK	Pkt Left or Pkt Right	114-9/16" x 79-1/2"
5/0 x 8/0	XX   2 TRACK	Pkt Left or Pkt Right	54-9/16" x 95-1/2"
6/0 x 8/0	XX   2 TRACK	Pkt Left or Pkt Right	66-9/16" x 95-1/2"
8/0 x 8/0	XX   2 TRACK	Pkt Left or Pkt Right	90-9/16" x 95-1/2"
10/0 x 8/0	XX   2 TRACK	Pkt Left or Pkt Right	114-9/16" x 95-1/2"
5/0 x 10/0	XX   2 TRACK	Pkt Left or Pkt Right	54-9/16" x 119-1/2"
6/0 x 10/0	XX   2 TRACK	Pkt Left or Pkt Right	66-9/16" x 119-1/2"
8/0 x 10/0	XX   2 TRACK	Pkt Left or Pkt Right	90-9/16" x 119-1/2"
5/0 x 6/8	XX   2 TRACK	Pkt Left & Pkt Right	53-15/16" x 79-1/2"
6/0 x 6/8	XX   2 TRACK	Pkt Left & Pkt Right	65-15/16" x 79-1/2"
8/0 x 6/8	XX   2 TRACK	Pkt Left & Pkt Right	89-15/16" x 79-1/2"
10/0 x 6/8	XX   2 TRACK	Pkt Left & Pkt Right	113-15/16" x 79-1/2"
5/0 x 8/0	XX   2 TRACK	Pkt Left & Pkt Right	53-15/16" x 95-1/2"
6/0 x 8/0	XX   2 TRACK	Pkt Left & Pkt Right	65-15/16" x 95-1/2"
8/0 x 8/0	XX   2 TRACK	Pkt Left & Pkt Right	89-15/16" x 95-1/2"
10/0 x 8/0	XX   2 TRACK	Pkt Left & Pkt Right	113-15/16" x 95-1/2"
5/0 x 10/0	XX   2 TRACK	Pkt Left & Pkt Right	53-15/16" x 119-1/2"
6/0 x 10/0	XX   2 TRACK	Pkt Left & Pkt Right	65-15/16" x 119-1/2"
8/0 x 10/0	XX   2 TRACK	Pkt Left & Pkt Right	89-15/16" x 119-1/2"

### 3-panel


Call Size	Configurations / Frame	Stacking	Net Frame Size
9/0 x 6/8	XXX   3 TRACK	Pkt Left or Pkt Right	99-9/16" x 79-1/2"
12/0 x 6/8	XXX   3 TRACK	Pkt Left or Pkt Right	135-9/16" x 79-1/2"
15/0 x 6/8	XXX   3 TRACK	Pkt Left or Pkt Right	171-9/16" x 79-1/2"
9/0 x 8/0	XXX   3 TRACK	Pkt Left or Pkt Right	99-9/16" x 95-1/2"
12/0 x 8/0	XXX   3 TRACK	Pkt Left or Pkt Right	135-9/16" x 95-1/2"
15/0 x 8/0	XXX   3 TRACK	Pkt Left or Pkt Right	171-9/16" x 95-1/2"
9/0 x 10/0	XXX   3 TRACK	Pkt Left or Pkt Right	99-9/16" x 119-1/2"
12/0 x 10/0	XXX   3 TRACK	Pkt Left or Pkt Right	135-9/16" x 119-1/2"

### 4-panel

Call Size	Configurations / Frame	Stacking	Net Frame Size
10/0 x 6/8	XXXX   3 TRACK	Pkt Left & Pkt Right	107-15/16" x 79-1/2"
12/0 x 6/8	XXXX   3 TRACK	Pkt Left & Pkt Right	131-15/16" x 79-1/2"
16/0 x 6/8	XXXX   3 TRACK	Pkt Left & Pkt Right	179-15/16" x 79-1/2"
20/0 x 6/8	XXXX   3 TRACK	Pkt Left & Pkt Right	227-15/16" x 79-1/2"
10/0 x 8/0	XXXX   3 TRACK	Pkt Left & Pkt Right	107-15/16" x 95-1/2"
12/0 x 8/0	XXXX   3 TRACK	Pkt Left & Pkt Right	131-15/16" x 95-1/2"
16/0 x 8/0	XXXX   3 TRACK	Pkt Left & Pkt Right	179-15/16" x 95-1/2"
20/0 x 8/0	XXXX   3 TRACK	Pkt Left & Pkt Right	227-15/16" x 95-1/2"
10/0 x 10/0	XXXX   3 TRACK	Pkt Left & Pkt Right	107-15/16" x 119-1/2"
12/0 x 10/0	XXXX   3 TRACK	Pkt Left & Pkt Right	131-15/16" x 119-1/2"
16/0 x 10/0	XXXX   3 TRACK	Pkt Left & Pkt Right	179-15/16" x 119-1/2"
10/0 x 6/8	XXXX   4 TRACK	Pkt Left or Pkt Right	108-9/16" x 79-1/2"
12/0 x 6/8	XXXX   4 TRACK	Pkt Left or Pkt Right	132-9/16" x 79-1/2"
16/0 x 6/8	XXXX   4 TRACK	Pkt Left or Pkt Right	180-9/16" x 79-1/2"
20/0 x 6/8	XXXX   4 TRACK	Pkt Left & Pkt Right	228-9/16" x 79-1/2"
10/0 x 8/0	XXXX   4 TRACK	Pkt Left or Pkt Right	108-9/16" x 95-1/2"
12/0 x 8/0	XXXX   4 TRACK	Pkt Left or Pkt Right	132-9/16" x 95-1/2"
16/0 x 8/0	XXXX   4 TRACK	Pkt Left or Pkt Right	180-9/16" x 95-1/2"
20/0 x 8/0	XXXX   4 TRACK	Pkt Left & Pkt Right	228-9/16" x 95-1/2"
10/0 x 10/0	XXXX   4 TRACK	Pkt Left or Pkt Right	108-9/16" x 119-1/2"
12/0 x 10/0	XXXX   4 TRACK	Pkt Left or Pkt Right	132-9/16" x 119-1/2"
16/0 x 10/0	XXXX   4 TRACK	Pkt Left or Pkt Right	180-9/16" x 119-1/2"

## Pocket Bidirectional Units

## Pocket Unidirectional Units



2-panel

Call Size	Configurations / Frame	Stacking	Net Frame Size
5/0 x 6/8	XX   2 TRACK	Pkt Left or Pkt Right	54-9/16" x 79-1/2"
6/0 x 6/8	XX   2 TRACK	Pkt Left or Pkt Right	66-9/16" x 79-1/2"
8/0 x 6/8	XX   2 TRACK	Pkt Left or Pkt Right	90-9/16" x 79-1/2"
10/0 x 6/8	XX   2 TRACK	Pkt Left or Pkt Right	114-9/16" x 79-1/2"
5/0 x 8/0	XX   2 TRACK	Pkt Left or Pkt Right	54-9/16" x 95-1/2"
6/0 x 8/0	XX   2 TRACK	Pkt Left or Pkt Right	66-9/16" x 95-1/2"
8/0 x 8/0	XX   2 TRACK	Pkt Left or Pkt Right	90-9/16" x 95-1/2"
10/0 x 8/0	XX   2 TRACK	Pkt Left or Pkt Right	114-9/16" x 95-1/2"
5/0 x 10/0	XX   2 TRACK	Pkt Left or Pkt Right	54-9/16" x 119-1/2"
6/0 x 10/0	XX   2 TRACK	Pkt Left or Pkt Right	66-9/16" x 119-1/2"
8/0 x 10/0	XX   2 TRACK	Pkt Left or Pkt Right	90-9/16" x 119-1/2"
5/0 x 6/8	XX   2 TRACK	Pkt Left & Pkt Right	53-15/16" x 79-1/2"
6/0 x 6/8	XX   2 TRACK	Pkt Left & Pkt Right	65-15/16" x 79-1/2"
8/0 x 6/8	XX   2 TRACK	Pkt Left & Pkt Right	89-15/16" x 79-1/2"
10/0 x 6/8	XX   2 TRACK	Pkt Left & Pkt Right	113-15/16" x 79-1/2"
5/0 x 8/0	XX   2 TRACK	Pkt Left & Pkt Right	53-15/16" x 95-1/2"
6/0 x 8/0	XX   2 TRACK	Pkt Left & Pkt Right	65-15/16" x 95-1/2"
8/0 x 8/0	XX   2 TRACK	Pkt Left & Pkt Right	89-15/16" x 95-1/2"
10/0 x 8/0	XX   2 TRACK	Pkt Left & Pkt Right	113-15/16" x 95-1/2"
5/0 x 10/0	XX   2 TRACK	Pkt Left & Pkt Right	53-15/16" x 119-1/2"
6/0 x 10/0	XX   2 TRACK	Pkt Left & Pkt Right	65-15/16" x 119-1/2"
8/0 x 10/0	XX   2 TRACK	Pkt Left & Pkt Right	89-15/16" x 119-1/2"

4-panel

Call Size	Configurations / Frame	Stacking	Net Frame Size
10/0 x 6/8	XXXX   3 TRACK	Pkt Left or Pkt Right	107-15/16" x 79-1/2"
12/0 x 6/8	XXXX   3 TRACK	Pkt Left or Pkt Right	131-15/16" x 79-1/2"
16/0 x 6/8	XXXX   3 TRACK	Pkt Left or Pkt Right	179-15/16" x 79-1/2"
20/0 x 6/8	XXXX   3 TRACK	Pkt Left or Pkt Right	227-15/16" x 79-1/2"
10/0 x 8/0	XXXX   3 TRACK	Pkt Left or Pkt Right	107-15/16" x 95-1/2"
12/0 x 8/0	XXXX   3 TRACK	Pkt Left or Pkt Right	131-15/16" x 95-1/2"
16/0 x 8/0	XXXX   3 TRACK	Pkt Left or Pkt Right	179-15/16" x 95-1/2"
20/0 x 8/0	XXXX   3 TRACK	Pkt Left or Pkt Right	227-15/16" x 95-1/2"
10/0 x 10/0	XXXX   3 TRACK	Pkt Left or Pkt Right	107-15/16" x 119-1/2"
12/0 x 10/0	XXXX   3 TRACK	Pkt Left or Pkt Right	131-15/16" x 119-1/2"
16/0 x 10/0	XXXX   3 TRACK	Pkt Left or Pkt Right	179-15/16" x 119-1/2"
10/0 x 6/8	XXXX   4 TRACK	Pkt Left or Pkt Right	108-9/16" x 79-1/2"
12/0 x 6/8	XXXX   4 TRACK	Pkt Left or Pkt Right	132-9/16" x 79-1/2"
16/0 x 6/8	XXXX   4 TRACK	Pkt Left or Pkt Right	180-9/16" x 79-1/2"
20/0 x 6/8	XXXX   4 TRACK	Pkt Left or Pkt Right	228-9/16" x 79-1/2"
10/0 x 8/0	XXXX   4 TRACK	Pkt Left or Pkt Right	108-9/16" x 95-1/2"
12/0 x 8/0	XXXX   4 TRACK	Pkt Left or Pkt Right	132-9/16" x 95-1/2"
16/0 x 8/0	XXXX   4 TRACK	Pkt Left or Pkt Right	180-9/16" x 95-1/2"
20/0 x 8/0	XXXX   4 TRACK	Pkt Left or Pkt Right	228-9/16" x 95-1/2"
10/0 x 10/0	XXXX   4 TRACK	Pkt Left or Pkt Right	108-9/16" x 119-1/2"
12/0 x 10/0	XXXX   4 TRACK	Pkt Left or Pkt Right	132-9/16" x 119-1/2"
16/0 x 10/0	XXXX   4 TRACK	Pkt Left or Pkt Right	180-9/16" x 119-1/2"

6-panel

Call Size	Configurations / Frame	Stacking	Net Frame Size
15/0 x 6/8	XXXXXX   4 TRACK	Pkt Left & Pkt Right	161-15/16" x 79-1/2"
18/0 x 6/8	XXXXXX   4 TRACK	Pkt Left & Pkt Right	197-15/16" x 79-1/2"
24/0 x 6/8	XXXXXX   4 TRACK	Pkt Left & Pkt Right	269-15/16" x 79-1/2"
15/0 x 8/0	XXXXXX   4 TRACK	Pkt Left & Pkt Right	161-15/16" x 95-1/2"
18/0 x 8/0	XXXXXX   4 TRACK	Pkt Left & Pkt Right	197-15/16" x 95-1/2"
24/0 x 8/0	XXXXXX   4 TRACK	Pkt Left & Pkt Right	269-15/16" x 95-1/2"
15/0 x 10/0	XXXXXX   4 TRACK	Pkt Left & Pkt Right	161-15/16" x 119-1/2"
18/0 x 10/0	XXXXXX   4 TRACK	Pkt Left & Pkt Right	197-15/16" x 119-1/2"
24/0 x 10/0	XXXXXX   4 TRACK	Pkt Left & Pkt Right	269-15/16" x 119-1/2"



# Warranty



For additional information, including a complete copy of JELD-WEN's Limited Warranty and care and maintenance information, please visit [jeld-wen.com](http://jeld-wen.com) or [jeld-wen.ca](http://jeld-wen.ca) or contact JELD-WEN at 1-888-JWHelpU (1-888-594-3578).



© 2017 JELD-WEN, Inc. This publication and its contents are owned or licensed by JELD-WEN, Inc. and are protected by U.S. and international copyright laws as well as other intellectual property laws. JELD-WEN is a registered trademark of JELD-WEN, Inc. All other trademarks, trade names, service marks, logos, and the like (whether registered or unregistered) are owned or licensed by JELD-WEN, Inc. Third party company names, product names, trade names, etc. may be trademarks of their respective owners. Unauthorized use or duplication of JELD-WEN intellectual property is prohibited. JELD-WEN reserves the right to change product specifications without notice. Please visit our website, [jeld-wen.com](http://jeld-wen.com), for current information. All rights reserved.

11-95789 04/17